



Rack Solutions for an efficient

networks, racks, servers and accessories



Applications  
& Solutions



Rack  
networks



Accessories



Optimization

Life Is On





# Our solution is guided

Scneider electric dealers go a little further and scale the Rack solutions for a wide range of applications from large scale data centers to edge spaces and even for industrial environments. In a large selection of cable management and other accessories. All racks provide a reliable foundation for your organization's future IT infrastructure.

Need to find a partner?

Use the quick scan tables in the Product Index or the Compatibility Index.



Need help choosing?

1. Use the Rack Series Comparison chart.  
[Rack Series Comparison](#)
2. Check the associated product specifications and data points.
3. Find a solution in a Schneider electric representative or an authorized partner company.



|                        |    |
|------------------------|----|
| Rack Series Comparison |    |
| Redundancy             | SX |
| Essential              | SV |
| Soundproof             | SP |
| Automation             | WX |
| OS & iOS               | OF |
| Seismic Proof & A      | CM |
| ISO & on grid          | CC |
| Regulated              | RX |
| Stock packaging & sale | SH |
| Accessories & Upgrades |    |
| Airflow & Cooling      | AC |
| Security & Access      | SA |
| Rack Units             | PD |
| Index                  |    |
| Product Index          | PX |
| Compatibility Index    | CX |



# Rack series comparison

rod c ea re rack series

|                              | <div><div></div></div> SX | <div><div></div></div> SV | <div><div></div></div> Easy | <div><div></div></div> Seismic | <div><div></div></div> Soundproof | <div><div></div></div> Wall-mount | <div><div></div></div> Open Frame | <div><div></div></div> GO Rack | <div><div></div></div> Rugged |
|------------------------------|---------------------------|---------------------------|-----------------------------|--------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|--------------------------------|-------------------------------|
| Application                  | Data Center               |                           |                             |                                | Commercial                        | Network Closet                    |                                   |                                | Harsh                         |
| Specifications               |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| RU sizes                     | U                         | & U                       | U                           | U                              | U                                 | U                                 | & U                               | U                              | U                             |
| Colors                       | k                         | ack                       | ack                         | ack                            | ak ood                            | ack                               | ack                               | ack                            | re                            |
| Depth                        |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| arge                         |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| S andard                     |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| S or                         |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Width                        |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| S andard                     |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| ide                          |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| ide                          |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Static Load                  |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| kg                           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| kg                           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| kg                           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Rolling Load (on Casters)    |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| kg                           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| kg                           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| kg                           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Max Equipment Mounting Depth |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Features                     |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Toolless features            |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| EIA 19" rails                |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Casters included             |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Zero U accessory channel     |                           |                           |                             |                                |                                   |                                   |                                   |                                | i ied                         |
| Cable management accessories |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Top cable entry              |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Bottom cable entry           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| PDU included                 |                           |                           |                             |                                |                                   |                                   |                                   |                                | p iona                        |
| Special Features             |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| NEMA/IP rated                |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Seismic rating               |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Noise reduction              |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Built-in fan ventilation     |                           |                           |                             |                                |                                   | U o roie                          |                                   | p iona                         | p iona                        |
| Containment compatibility    |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Ratings and Certifications   |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| UL                           |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| IBC/NEBS                     |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| NEMA/IP                      |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Ordering and Delivery        |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Regional availability        | o a                       | US n                      | o a<br>o US & A             | o a                            | o a                               | o a                               | o a                               | A n                            | o a                           |
| Shock packaging option       |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Flatpack option              |                           |                           |                             |                                |                                   |                                   |                                   |                                |                               |
| Warranty                     | ears                      | ears                      | ears                        | ears                           | ears                              | ears                              | ears                              | ears                           | ear                           |

## Rack Series Comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pai ii Index

CX



# eS e er S nc os res

e l rack o can ee cer ain a o

ring o r siness e po ero go a scae s saina e eaders ip and npara eed ai i A eS e erS nc os res



## ore co p ing in ess space

- ai i l racks ade or AI app ica ions and e er da exce ence
- s anding oad capaci air o and sec ri



## S saina e onge i

- i o as adap and re se
- Re arka e red c ion in e edded car on or aes odes
- ake ack eigi e and rec ca ii po en ia



## eece o ind

- i i a see cons r c ion
- Sec red i poin ocking s se
- acked ear arran



## Si pi ed dai ork o s

- akes dai opera ions ore e cien predic a e and en o a e
- acked i ea res a ake ins a a ion as er easier and precise
- A pe space ore ip en organi a ion and ain enance



## o pee eso ion

e o pro ides en anced en iron en a and p sica sec ri

eS e er In e igen Rack Us sec re eas re and anage po er

S ar U S od ar U ra dei ers ig densi on ine po er pro ec ion i scaa er n i e s ppor ed i i ion a eries

coS r x re l pro ides co d ased oni oring and con ro



ind co pai e accessories ➔

Rack Series o parison

Rack Series

Premium

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic oo & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pai ii Index

CX



e S e er S nc os res se ec ion

|                           | NetShelter SX (latest generation)                                | NetShelter SX (original)                                         |
|---------------------------|------------------------------------------------------------------|------------------------------------------------------------------|
| Static Load               | kg <b>NEW</b>                                                    | kg                                                               |
| Rolling Load              | kg                                                               | kg                                                               |
| Equipment Mounting Rails  | IA ad s in in incre en s                                         | IA ad s in in incre en s                                         |
| Door Perforation          | <b>NEW</b>                                                       |                                                                  |
| Front Door Swing          | a ed re ersi e c r ed ron <b>NEW</b>                             | re ersi e c r ed ron                                             |
| Rear Door Swing           | a ron <b>NEW</b>                                                 | a ron                                                            |
| Side Panels               | Sp i ocka e                                                      | Sp i ocka e                                                      |
| Baying Kit                | Inc ded                                                          | Inc ded                                                          |
| Roof                      | arge ca e en r poin s                                            | arge ca e en r poin s                                            |
| Bottom Plate              | p iona                                                           | p iona                                                           |
| Locking                   | poin ocking a ron <b>NEW</b>                                     | Sing e poin ocking a ron                                         |
| Casters and Leveling Feet | Inc ded                                                          | Inc ded                                                          |
| Rear Accessory            | eig U accessor c anne s                                          | eig U accessor c anne s                                          |
| Door Handles**            | e ocking                                                         | e ocking                                                         |
| Toolless Features         | ron door roo o n ing rai s accessor c anne roo ca e ro g op iona | ron door roo o n ing rai s accessor c anne roo ca e ro g op iona |
| Warranty                  | ears                                                             | ears                                                             |

See S Us or exac ode speci ca ion p ions or co ina ion ock ke card access and ni e ke c inders a ai a e

|                                   | Model (Black) | Model (White) | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static (lb.) | Dynamic (lb.) | Doors & Sides | 0U Accessory Channels |
|-----------------------------------|---------------|---------------|------------|-------------|------------|------------|--------------------------|--------------|---------------|---------------|-----------------------|
| NetShelter SX (latest generation) | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
| NetShelter SX (original)          | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AA            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AA            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AA            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |

ind co pa i e accessories ➡

|                                |
|--------------------------------|
| Rack Series o parison          |
| Rack Series                    |
| Premium <b>SX</b>              |
| ssen ia <b>SV</b>              |
| So ndproo <b>SP</b>            |
| a o n <b>WX</b>                |
| os & os <b>OF</b>              |
| Seis ic o o & A <b>CM</b>      |
| s o & on g red <b>CC</b>       |
| R gged <b>RX</b>               |
| S ock ackaging & a e <b>SH</b> |
| Accessories & Upgrades         |
| Air o & a ing <b>AC</b>        |
| Sec ri & Access <b>SA</b>      |
| Rack Us <b>PD</b>              |
| Index                          |
| rod c Index <b>PX</b>          |
| o pa i i i Index <b>CX</b>     |





# Server Storage Enclosures

Server Storage Enclosures on Grid Doors and Side Panels

| SKU        | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| AR3104X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3100X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3100X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3100X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3130X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3150X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3150X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3150X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3300X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3300X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3300X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3350X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3350X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3350X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3107X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3107X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3107X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3157X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3157X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3157X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3307X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3307X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3307X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3357X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3357X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3357X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |

## SX networking enclosures

Our main SX enclosures are specifically designed for enhanced networking applications in enhanced environments as well as for core routers and switches. They are designed to provide the proper ventilation and cooling for your network equipment. The SX enclosures are designed to provide the proper ventilation and cooling for your network equipment. The SX enclosures are designed to provide the proper ventilation and cooling for your network equipment.



## Server Storage Enclosures

| SKU (Black) | SKU (White) | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|-------------|-------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| AR3140      | AR3140W     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR3340      | AR3340W     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR3347      | AR3347W     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| -           | AR3348WX832 |            |             |            |            |                          |                        |                         | ✓     | ✓     |

Find compatible accessories →

Rack Series Comparison

Rack Series

Premium

SX

Essential

SV

Soundproof

SP

Accessories

WX

OS & OS

OF

Seismic Protection & A

CM

Soundproof & Soundproof

CC

Refrigerated

RX

Shock Packaging & A

SH

Accessories & Upgrades

Airflow & Airflow

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Comparison Index

CX



e S e er S nc os res

Uni ersa l racks or o and edi densi ser ers e S ine aci a es as er ins a a ion and dep o en i essen ia s and ard ea res



- 1 Cable access through roof and rack bottom
- 2 Adjustable vertical mounting rails with vertical 1U patching (31.5 in. [800 mm] only)
- 3 Lockable doors and side panels

Rear accessory mounting brackets for easy integration of rack PDU and cable managers



e S e er S s e S e er S nc os res

|                        | NetShelter SX                    | NetShelter SV                                    |
|------------------------|----------------------------------|--------------------------------------------------|
| Rack units             | U                                | U                                                |
| Load rating            |                                  |                                                  |
| Side panels            | Sp i a eig                       | Sing e eig                                       |
| Roof                   | oo ess re o a r s es             | o re o a e ipe ca een r odes on poin s r s es on |
| Toolless features      | ✓                                | ✗                                                |
| Cable management       | eig accessor c anne s            | accessor racke s                                 |
| Rail adjustability     | ad s a e                         | ixed ad s en poin s                              |
| Eyebolt support        | ✓                                | ✗                                                |
| Casters                | o pro e                          | or a pro e                                       |
| Design tools available | Ro designer In raS r re designer |                                                  |

ind co pa i e accessories ➡

e S e er S nc os res

| SKU (assembled) | SKU (unassembled) | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|-----------------|-------------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| AR2400          | AR2400FP1         |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2401          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR2480          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2500          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2580          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2407          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2487          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2507          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2587          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |

Rack Series o parison

Rack Series .....

re i

SX

Essential

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades .....

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index .....

rod c Index

PX

o pa i i Index

CX



# Accessories Racks

Accessories Racks are an easy-to-use series of racks and accessories that reduce complexity in your IT infrastructure so that you can be proactive and safeguard your IT assets. Accessories Racks in data centers close spaces and edge environments or remote and scalable solutions on a remote platform.

## Adjustable side panels

Adjustable and lockable side panels allow easy installation



## Integrated external cabling

Routing connections on doors. Front side panels and doors are grooved to route cables. Add external cabling options in front and rear.

## Intelligent cooling

Rack openings, filters, or managing airflow and proper air management. Optimize airflow over heat exchangers, sensors, and partitions.

## Rear accessory racks

Accessory racks pre-installed to support installation of cable management, rack units. Add additional racks to support installation of additional units and cable managers or replace components. Accessory cables.

## Integrated front/rear doors

Single open front door and split rear doors. Up to perimeter hexagonal pattern.

## Racks feature

Up to 48 U-height knock-out panels located in front and rear to provide easy access to internal components. Front and rear doors are available in 19-inch or 21-inch depth. Add another U-height enclosure solution.



## Take the tour



APC Easy Rack 42U Model



APC Easy Rack 24U Model

Find compatible accessories →

Rack Series Comparison

Rack Series

Series

SX

Essential

SV

Soundproof

SP

Accessories

WX

OS & OS

OF

Seismic & A

CM

SO & On-grid

CC

Rugged

RX

Stock packaging & A

SH

Accessories & Upgrades

Air & Air

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Component Index

CX






# Accessories Rack selection

## Rack components

- Roo
- Rear doors
- Re o a e op side pane locking
- Re o ea e o o side pane
- ero U accessor oning racks
- a ine ra e
- as ers
- e e ing ee
- Re o a e and re ersi e ron door
- ard are ag

Find compatible accessories →



## Access Racks

| SKU        | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| ER6482     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6402     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6422     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6282     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8282     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6202     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6202FP1* |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6200     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8202     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8200     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER6212     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8212     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6222     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6220     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8222     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8220     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER6802     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6800     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8802     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8800     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER6812     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8812     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6822     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6820     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8822     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8820     |            |             |            |            |                          |                        |                         | ✓     | ✗     |

Unassembled and a packed rack option and see assembled online

Rack Series comparison

Rack Series

re iSX

EssentialSV

SoundproofSP

a o nWX

os & osOF

Seismic shock & A CM

so & on g redCC

R ggledRX

Stock packaging & a eSH

Accessories & Upgrades

Air o & a ingAC

Sec ri & AccessSA

Rack UsPD

Index

rod c IndexPX

o pai ii IndexCX



Rack

Racks are indispensable features and versatile ranges of equipment designed for networking and IT applications

Benefits:

- Available in sizes to meet various needs
- Compatible with standard networking rails
- Optional locking
- Compatible with a range of Schneider Electric and AEG Us and accessories
- Static load capacity up to 1000 kg and dynamic load capacity up to 100 kg including equipment in the rack

Find compatible accessories



Rack with perforated door

This option helps enhance air circulation to prevent overheating

| SKU      | Rack Units | Width (mm) | Depth (mm) |
|----------|------------|------------|------------|
| NR8282-P |            |            |            |
| NR6282-P |            |            |            |
| NR8202-P |            |            |            |
| NR6202-P |            |            |            |
| NR8682-P |            |            |            |
| NR6682-P |            |            |            |
| NR8602-P |            |            |            |
| NR6602-P |            |            |            |
| NR8482-P |            |            |            |
| NR6482-P |            |            |            |
| NR8402-P |            |            |            |
| NR6402-P |            |            |            |
| NR8882-P |            |            |            |
| NR6882-P |            |            |            |
| NR8802-P |            |            |            |
| NR6802-P |            |            |            |



Rack with glass door

This option provides a clear view of the equipment inside allowing for easy access and maintenance for businesses in passageways or working stations where remote administration is required

| SKU      | Rack Units | Width (mm) | Depth (mm) |
|----------|------------|------------|------------|
| NR8282-G |            |            |            |
| NR6282-G |            |            |            |
| NR8202-G |            |            |            |
| NR6202-G |            |            |            |
| NR8682-G |            |            |            |
| NR6682-G |            |            |            |
| NR8602-G |            |            |            |
| NR6602-G |            |            |            |
| NR8482-G |            |            |            |
| NR6482-G |            |            |            |
| NR8402-G |            |            |            |
| NR6402-G |            |            |            |
| NR8882-G |            |            |            |
| NR6882-G |            |            |            |
| NR8802-G |            |            |            |
| NR6802-G |            |            |            |



Rack Series comparison

Rack Series

Series

SX

Essential

SV

Soundproof

SP

Accessories

WX

Locks & Keys

OF

Seismic Protection & A

CM

Locking & Opening Red

CC

Refrigerated

RX

Stock Packaging & Label

SH

Accessories & Upgrades

Airflow & Cooling

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatible Index

CX






# e S e er So ndproo Racks

## o p e e e so ion

i e e p o o r p r e e r r e d p a r t n e r o r S c n e i d e r e c r i c r e p r e s e n t a i e o c a n d e s i g n o r o n c o s r x r e i c r o a a e n e r s i n g a e S e e r S o n d p r o o R a c k a r n e r s c a n r e g i s t e r a n d e x p o r e o p t i o n s i n t h e d e s i g n o r a o n [s e . c o . . . . . S c . n e i d e r](#)



NetBotz™ components s c a s c a e r a s a n d s e n s o r s p r o i d e e n a n c e d e n i r o n e n a a n d p s i c a s e c r i

NetShelter Intelligent Rack PDUs s e c r e e a s r e a n d a n a g e p o e r



EcoStruxure IT p r o i d e s c o d e s e d o n i o r i n g a n d c o n r o

Smart-UPS™ d e i e r s i g d e n s i p o e r p r o e c t i o n i i i i o n a e r i e s

find co pa i e accessories ➔

## e S e er So ndproo Racks

| SKU<br>(110 –120 V) | SKU<br>(220 – 240 V) | Rack<br>Units | Height<br>(mm) | Width<br>(mm) | Depth<br>(mm) | Max<br>Equipment<br>Depth (mm) | Static<br>Load<br>(kg / lb.) | Dynamic<br>Load<br>(kg / lb.) | Cooling<br>Capacity<br>(kW) | Sound<br>Reduction<br>(dBA @ 1m) |
|---------------------|----------------------|---------------|----------------|---------------|---------------|--------------------------------|------------------------------|-------------------------------|-----------------------------|----------------------------------|
| AR4012A*            |                      |               |                |               |               |                                |                              |                               |                             |                                  |
| AR4017A             | AR4017IA             |               |                |               |               |                                |                              |                               |                             |                                  |
| AR4032A             | AR4032IA             |               |                |               |               |                                |                              |                               |                             |                                  |
| AR4038LA            | AR4038LIA            |               |                |               |               |                                |                              |                               |                             |                                  |

A o d e s a r e c o n g r e d i o c k i n g r o n r e a r a n d s i d e p a n e i n U c a e a n a g e r i r s s r i p s c a s e r s a n d e e i n g e e a n d a r e U c e r i e d i a e a r a r r a n

a r a e d

Rack Series o p a r i s o n

Rack Series

r e i

SX

s s e n i a

SV

Soundproof

SP

a o n

WX

o s & o s

OF

S e i s i c o o & A

CM

s o & o n g r e d

CC

R g g e d

RX

S o c k a c k a g i n g & a e

SH

Accessories & Upgrades

A i r o & a i n g

AC

S e c r i & A c c e s s

SA

R a c k U s

PD

Index

r o d c I n d e x

PX

o p a i i i I n d e x

CX



eS e er a o n nc os res

eS e er a o n ser er and ne ork rack so ions pro ide e nc iona i re ia ii and ease o dep o en re i red in edge co p ing app ica ions

Benefits:


arie o eig eig and con g ra ion op ions or an edge co p ing en iron en

o pa i e i a ide range o A po er sec ri and oni oring de ices and ser ices

S a ic eig capaci o po o

Idea or ro o sin re ai ea care ed ca ion or nance se ings

S ips asse ed or ick dep o en



S ic dep

o pac a o n encos res designed or ne orking gear or o ers a de ices i a ini a oo prin oo se ro nas se ed op ions in se ec si es or asse ed op ions co pa i e i e o Rack Access or en an ced sec ri and access con ro

ax o n ing dep



U S dep

Sea ss co pa i e i os A singe p ase U S so ions ese encos res are p rpose i or U S so ions ep o a ro s edge co p ing so ion i con dence sing is ea d side o n ed encos re o conser e a a e space ax o n ing dep



Ser er dep

a o n encos res aiored or ser ers and s a a singe p ase U S ec no gies p ions are a a i a e or nis i a d a inge design a o ing e ron door o open ro ei er e e or rig or increased access and exi ii

ax o n ing dep or ode dependen



er ica o pro e

is U rack o ers a ni e o pro e so ion or sec re o sing rack o n e ip en in con ned spaces I s design a o s or o n ing arge dep de ices o a a in a ess o r si e or ac or co pared o radi ona a o n ca ine s aking i idea or space cons rained en iron en s ax o n ing dep

ind co pa i e accessories ⇌

ake e o r



eS e er a o n nc os res

| SKU (assembled)      | SKU (unassembled) | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Ventilation | Door Type* | Rating |
|----------------------|-------------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------|------------|--------|
| SWITCH DEPTH         |                   |            |             |            |            |                          |                        |             |            |        |
| AR106SH4             | AR106             |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| AR109SH4             | AR109             |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| AR112SH4             |                   |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| SERVER DEPTH         |                   |            |             |            |            |                          |                        |             |            |        |
| AR106SH6             |                   |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| AR109SH6             |                   |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| AR112SH6             | AR112             |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| AR100                |                   |            |             |            |            |                          |                        | assi e      | ass        | I      |
| AR100HD              |                   |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| UPS DEPTH            |                   |            |             |            |            |                          |                        |             |            |        |
| AR112SM              |                   |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| AR118SM              |                   |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| AR124SM              |                   |            |             |            |            |                          |                        | assi e      | er ora ed  | I      |
| VERTICAL/LOW PROFILE |                   |            |             |            |            |                          |                        |             |            |        |
| AR106V               |                   |            |             |            |            |                          |                        | an          | er ora ed  | I      |
| AR106VI              |                   |            |             |            |            |                          |                        | an          | er ora ed  | I      |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

Wall-mount

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pa i ii Index

CX



e S e er pen ra e Racks

pen ra e Racks o era ai and cos e ec i e so ion or ins a ing rack o n a e e ip en ere sec ri a e indi id a rack e e is no re i red Add ig densi erica ca e anagers or axi ca e o e



o pos rack

s r c ra grade a in  
Se s aring design



o r pos rack

See cons r c ion  
ipe oo ess o n ing poin s  
or ook and oop as eners  
AR or oo ess ca e  
anage en rings AR

i posi ion rack U o n ing  
racke AR  
Re ersi e s a ii a ion pa es  
ro nding inser s

ake e o r



Accessories a ai a e

Add erica ca e anagers  
o er ead pa c ra es and ore

ind co pa i e accessories ➔



AR and AR s o n



U o er ead pa c ra e I

e S e er pen ra e Racks

| SKU         | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Hole Type |
|-------------|------------|-------------|------------|------------|--------------------------|------------------------|-----------|
| 4 POST RACK |            |             |            |            |                          |                        |           |
| AR203A      |            |             |            |            |                          |                        | S are     |
| AR204A      |            |             |            |            |                          |                        | readed    |
| 2 POST RACK |            |             |            |            |                          |                        |           |
| AR201       |            |             |            |            |                          |                        | readed    |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

2-Post & 4-Post

OF

Seis ic oo & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pa i i i Index

CX





# Seismic Colo and A Racks

Our racks are designed for specific environments and applications. All provide extra protection for your equipment inside and outside the data center.



## Seismic enclosure

The Seiser Seismic enclosure is designed for essential facilities and carrier applications in seismic environments. It meets the Seis Standard R R one and a kg equipment load.

[Find compatible accessories](#)



## Colo Rack

Designed for co-location facilities, it offers reliable performance in rack space. The Seiser Colo rack is a comparison of a digital infrastructure and is a high-security enclosure as a compact, optimized data center space.

[Find compatible accessories](#)



## A Racks

The Seiser A enclosures are reliable racks specifically designed for professional audio is a market and optimized for cable management, power distribution and air conditioning.

[Find compatible accessories](#)

## Seismic Colo and A Racks

| SKU                               | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg/ lb.) | Features        | Doors | Sides |
|-----------------------------------|------------|-------------|------------|------------|--------------------------|------------------------|------------------------|-----------------|-------|-------|
| AV AUDIO / VIDEO                  |            |             |            |            |                          |                        |                        |                 |       |       |
| AR3814                            |            |             |            |            |                          |                        |                        | o es            | ✓     | ✗     |
| AR3810                            |            |             |            |            |                          |                        |                        | o es            | ✗     | ✗     |
| AR3812                            |            |             |            |            |                          |                        |                        | o es            | ✓     | ✓     |
| SX MULTI-COMPARTMENT / COLOCATION |            |             |            |            |                          |                        |                        |                 |       |       |
| AR3200                            |            |             |            |            |                          |                        |                        | x U co par en s | ✓     | ✓     |
| VX SEISMIC                        |            |             |            |            |                          |                        |                        |                 |       |       |
| AR2144BLK                         |            |             |            |            |                          | kg                     | seis ic oad            | Seis ic one     | ✓     | ✓     |
| AR2145BLK                         |            |             |            |            |                          | kg                     | seis ic oad            | Seis ic one     | ✓     | ✗     |

Rack Series Comparison

Rack Series

re i SX

ssen ia SV

So ndproo SP

a o n WX

os & os OF

Seismic, Colo & AV CM

s o & on g red CC

R gged RX

S ock ackaging & a e SH

Accessories & Upgrades

Air o & a ing AC

Sec ri & Access SA

Rack Us PD

Index

rod c Index PX

o pai ii Index CX



# on g re o rder and s o Racks

## on g re o rder

e S e er on g ra e nc os res are a e S e er enc os re range o ering axi exi i i on g re o order a rack co ponen s  
inc ding sides doors roo and o ning rails a e racks con g red a o r ac or o sa e o e or oreasier l dep o en s



### Alternate roof designs:

Ser er or ne orking  
an ra  
pen roo ridge  
o roo

### Alternate side panels:

ass ro g  
r s es  
Sides on ere  
needed  
o sides

### Cabinet colors:

ack  
ie

### Packaging:

S andard  
ore ip en s ip en  
p o kg



### Alternate mounting rail configurations:

rese o speci c dep  
A ernae o ning o es  
in IA

### Alternate door handles:

S andard and e  
o ina ion s e

### Alternate door configurations:

Sing e or sp i doors  
ron ack  
o doors

## Common CTO configurations

ind par n ers or co on re es s s c as ca ine s i o sides or i o sides and doors

## ngineer o rder

an nd a o re ooking or i o r s andard and op ions e can ork i o o crea e c s o racks o ee  
o r ni e needs

### ETO capabilities include (but are not limited to):

- Uni e co ors
- Seis ic
- esigns or co oca ion
- Uni e di ensions
- s o rding



Re es as s o Racks ➡

Re es e S e er s o Racks ➡

Rack Series o parison

Rack Series .....

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

Custom & Configured

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades .....

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index .....

rod c Index

PX

o pa i i i Index

CX



# e S e er R gged nc os res

e S e er R encos res are designed or r gged  
en iron en s s c as are o ses ac or oors pan s  
and o er ars oca ions e re idea or ncon ro ed  
en iron en s ere d s ois re e pera re and  
expos re ar ide



## ene s



All ra ing or ind s ria en iron en s



an e s ipped i pre in egra ed U S U and on i oring co ponen s



ick dep o icro da a cen ers or e ind s ria edge

ind co pa i e accessories →

ake e o r



## e S e er R nc os res

| SKU              | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Rating | Ventilation   | Door Type | Availability |
|------------------|------------|-------------|------------|------------|--------------------------|------------------------|--------|---------------|-----------|--------------|
| NSYSFRSEDC12680  |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC206100 |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC20680  |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC208100 |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC208120 |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| AR5340           |            |             |            |            |                          |                        | A I    | ✗             | So id     | UR           |
| AR5340F          |            |             |            |            |                          |                        | A I    | ✓             | So id     | UR           |

i en i a ion added

## e S e er R a o n nc os re

| SKU            | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Rating | Ventilation | Door Type | Availability |
|----------------|------------|-------------|------------|------------|--------------------------|------------------------|--------|-------------|-----------|--------------|
| NSYVDMRS16UEDC |            |             |            |            |                          |                        | A      | ✗           | ass       | A            |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

Rugged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pa i i Index

CX



# See server racks in shock packaging and shock pallet

“Rack and stack” made easy for equipment manufacturers

Secure shipping as depots and enhanced inegrated solutions in A enclosures in shock packaging and shock pallet these solutions offer

operational engineering and production costs as inegration in the overall solution

Reduction in physical area floor space required in standard rack and stack

Reduction in packaging and recycling of physical area areas

Instructions and reference designs in optional accessories



Includes:

Shock pallet  
Hard board for rap and oa  
as inco ering o keep d s  
de ris o

Rack  
a ines inc de ea d  
cas ers xed and s ie or  
ane era ii

How does it work



## Secure shipping and fast deployment with Cisco + Schneider Electric

Today's converged and hyperconverged infrastructures and enterprises data centers require populated racks to be more securely shipped to customer or co-location sites or as a risk reduction the loss of or damage to a single rack can result in a total system downtime

Schneider Electric delivers a Cisco aided shipping solution that simplifies Cisco U.S. rack and stack and protects the equipment from the cost reduction risk and provides speed and efficiency in deployment



Rack Series comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

Shock Packaging & Pallet

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pai ii Index

CX



# Server racks in shock packaging and shock pallet

| SKU (Black)   | SKU (White)    | U-space | Height (mm / in.) | Width (mm / in.) | Depth (mm / in.) | Max mounting depth (mm / in.) | Shipping load capacity (kg / lb.) | Packaged                              |
|---------------|----------------|---------|-------------------|------------------|------------------|-------------------------------|-----------------------------------|---------------------------------------|
| eS e er S     |                |         |                   |                  |                  |                               |                                   |                                       |
| AR3003SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3006SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3103SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3106SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3104SP1     | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3100SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3105SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3107SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3150SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3155SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3157SP      | AR3157WSP      | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3300SP      | AR3300WSP      | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3305SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3307SP      | AR3307WSP      | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3350SP      | AR3350WSP X832 | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3355SP      | –              | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| AR3357SP      | AR3357WSP      | U       |                   |                  |                  |                               |                                   | Shock pallet packaging one i e sera p |
| eS e er a o n |                |         |                   |                  |                  |                               |                                   |                                       |
| AR106V        | –              | U       |                   |                  |                  |                               |                                   | Shock packaging                       |
| AR106VI       | –              | U       |                   |                  |                  |                               |                                   | Shock packaging                       |

Rack Series o parison

Rack Series

re i SX

ssen ia SV

So ndproo SP

a o n WX

os & os OF

Seis ic o o & A CM

s o & on g red CC

R gged RX

Shock Packaging & Pallet SH

Accessories & Upgrades

Air o & a ing AC

Sec ri & Access SA

Rack Us PD

Index

rod c Index PX

o pai ii Index CX



# e S e er Aise on ain en


ex genera ion da a cen er con ain en

ed na ic na re o iespace akes i o g o op i ie  
cooling and anage air o in a cons an c anging  
en iron en o need a so ion a adap s as e S e er  
Aise on ain en co ines air o in e igence i exi e  
con ain en a dei ers s perior cooling ie e ping o  
red ce o r car on oo prin



## S perior cooling per or ance

e p o ore cooling per or ance  
ro o r exis ing in ras r c re



## In e igen air o con ro

Sa e p o an energ and  
red ce air eakage i Ac i e  
o on ro er



## as er ins a and re exi e

Adap s o an con g ra ion  
ig eig or ane era ii  
ear arran



## Red ce car on oo prin

Red ce energ expense

[So rce...ink](#)

o pared o cons an an speed [So rce...ink](#)  
xc des ig ing con ro ox  
enera sa ings expec ed ro con ain en oes no inc de addi ona sa ings expec ed ro Ac i e o on ro er [So rce...ink](#)



Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic oo & A

CM

so & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Airflow & Cabling

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pai ii Index

CX






# the Server Aisle Connection

## Adaptable configurations

Simple design and endless configurations make the principle behind this next generation of aisle connections. In the future, aisle connections will take aisle connections as separate proactive options, saving energy, space, and time, or expand or contain connections as your needs change.



### Rack readiness

Ideal for new builds and co-locations, providing support for rack-ready applications.



### Flexible rack accommodation

Supports uneven spacing and rack sizes. Universal support for configurations, work, and rack endor.



### Intelligence and access options

Active connection router provides power and energy reduction. Reconfigurable sliding single sliding and curtain door options.



### Aisle variations

Accommodates aisle widths and aisle lengths. Single aisle or odd rows and aisle applications.

|                                    |    |
|------------------------------------|----|
| Rack Series comparison             |    |
| ..... Rack Series .....            |    |
| re i                               | SX |
| ssen ia                            | SV |
| So ndproo                          | SP |
| a o n                              | WX |
| os & os                            | OF |
| Seis ic oo & A                     | CM |
| so & on g red                      | CC |
| R gged                             | RX |
| Stock ackaging & a e               | SH |
| ..... Accessories & Upgrades ..... |    |
| Airflow & Cabling                  | AC |
| Sec ri & Access                    | SA |
| Rack Us                            | PD |
| ..... Index .....                  |    |
| rod c Index                        | PX |
| o pai ii Index                     | CX |


Learn more →



# e S e er Aise on ain en

esign ig ig s

e e S e er Aise on ain en design s o cases energ e cienc and inno a ion i i s in e igen air o anage en i pro ing coo ing e cienc red cing energ cons p ion and e ping o ens re op i a per or ance ere are so e addiona ig ig s



|                        |    |
|------------------------|----|
| Rack Series comparison |    |
| Rack Series            |    |
| re i                   | SX |
| ssen ia                | SV |
| So ndproo              | SP |
| a o n                  | WX |
| os & os                | OF |
| Seis ic o o & A        | CM |
| s o & on g red         | CC |
| R gged                 | RX |
| S ock ackaging & a e   | SH |
| Accessories & Upgrades |    |
| Airflow & Cabling      | AC |
| Sec ri & Access        | SA |
| Rack Us                | PD |
| Index                  |    |
| rod c Index            | PX |
| o pai ii Index         | CX |



# NetShelter Aisle Containment

## Designing and ordering

Our design resources work in our sales represent a free or preferred partner to develop an end-to-end design as it is your needs. Approved configurations can be copied into your technical drawings and into your drawings. Request a design on [designportal.apc.com](https://designportal.apc.com).

| Category                              | SKU              | Description                                                                                                   |
|---------------------------------------|------------------|---------------------------------------------------------------------------------------------------------------|
| Roof system (horizontal and vertical) | NSAC2001         | APC NetShelter Aisle Containment, frame extrusion & end cover, set of 4, black                                |
|                                       | NSAC2002         | APC NetShelter Aisle Containment, panel mounting rail A&B, set of 10, black                                   |
|                                       | NSAC2151         | APC NetShelter Aisle Containment, panel connector 3 ft., set of 3, black                                      |
|                                       | NSAC2152         | APC NetShelter Aisle Containment, panel connector 4 ft., set of 3, black                                      |
|                                       | NSAC2153         | APC NetShelter Aisle Containment, panel connector plastic 1200 mm, set of 6, black                            |
|                                       | NSAC2601         | APC NetShelter Aisle Containment, L connector, black                                                          |
|                                       | NSAC2603         | APC NetShelter Aisle Containment, interior connector, black                                                   |
|                                       | NSAC2604         | APC NetShelter Aisle Containment, cabinet install bracket, black                                              |
|                                       | NSAC2606         | APC NetShelter Aisle Containment, right angle connector bracket, black                                        |
|                                       | NSAC2607         | APC NetShelter Aisle Containment, mounting rail connector, black                                              |
|                                       | NSAC2608         | APC NetShelter Aisle Containment, straight connector, black                                                   |
|                                       | NSAC2610         | APC NetShelter Aisle Containment, roof bracket for POD containment, black                                     |
|                                       | NSAC2006         | APC NetShelter Aisle Containment, seal coextrusion 1000 mm, set of 6, black                                   |
|                                       | NSAC2003         | APC NetShelter Aisle Containment, cabinet seal coextrusion, 1000 mm, set of 6, black                          |
| Ceiling support kit                   | NSAC2051         | APC NetShelter Aisle Containment, rod mounting brackets, set of 2, black                                      |
|                                       | NSAC2052         | APC NetShelter Aisle Containment, ceiling mounting rail 1500 mm, set of 2, black                              |
|                                       | NSAC2653         | APC NetShelter Aisle Containment, supporting rods, 1500 mm, set of 8, zinc                                    |
| Lighting kit                          | NSAC2121         | APC NetShelter Aisle Containment, LED module                                                                  |
|                                       | NSAC2122         | APC NetShelter Aisle Containment, lighting control box, black                                                 |
|                                       | NSAC2004         | APC NetShelter Aisle Containment, lighting mounting rail 1000 mm, set of 6, black                             |
| Roof panels                           | NSAC2101         | APC NetShelter Aisle Containment, multi wall panel 644 x 1232 mm, set of 5                                    |
|                                       | NSAC2102         | APC NetShelter Aisle Containment, multi wall panel 644 x 1825 mm, set of 5                                    |
| Doors                                 | NSAC2401         | APC NetShelter Aisle Containment, dual sliding door, black                                                    |
|                                       | NSAC2402         | APC NetShelter Aisle Containment, single sliding door, black                                                  |
|                                       | ACDC2400         | APC NetShelter Aisle Containment, Gen 1, breakout door, sliding                                               |
|                                       | ACDC2401         | APC NetShelter Aisle Containment, Gen 1, breakout door header, for 42U SX                                     |
|                                       | ACDC2402         | APC NetShelter Aisle Containment, Gen 1, breakout door header, for 45U SX                                     |
|                                       | ACDC2403         | APC NetShelter Aisle Containment, Gen 1, breakout door header, for 48U SX                                     |
|                                       | ACDC2404         | APC NetShelter Aisle Containment, Gen 1, breakout door post, 900 – 1200 mm (36 – 48 in.) aisle width          |
|                                       | ACDC2405         | APC NetShelter Aisle Containment, Gen 1, breakout door post, 1200 – 1500 mm (48 – 60 in.) aisle width         |
|                                       | ACDC2406         | APC NetShelter Aisle Containment, Gen 1, breakout door post, 1500 - 1800mm (60 – 71 in.) aisle width          |
|                                       | ACDC2407         | APC NetShelter Aisle Containment, Gen 1, breakout door proxy card access, set of 1                            |
| Curtains                              | ACDC2408         | APC NetShelter Aisle Containment, Gen 1, breakout door lock                                                   |
|                                       | ACDC2410         | APC NetShelter Aisle Containment, Gen 1, curtain door mounting rail, 900 – 1200 mm (36 – 48 in.) aisle width  |
|                                       | ACDC2411         | APC NetShelter Aisle Containment, Gen 1, curtain door mounting rail, 1500 – 1800 mm (60 – 71 in.) aisle width |
| Air sealing kit                       | FS-AC-1001-U     | Air sealing kit for APC NetShelter Aisle or POD Containment                                                   |
| Assembly services                     | WASEMNSACS-AX-20 | Assembly service for NetShelter Aisle Containment, short (up to 7 m), 5 x 8                                   |
|                                       | WASEMNSACL-AX-20 | Assembly service for NetShelter Aisle Containment, long (above 7 m), 5 x 8                                    |

Rack Series Comparison

Rack Series

Reinforcement

SX

Sealing

SV

Soundproof

SP

Accessories

WX

Seals & Gaskets

OF

Seismic Protection & A

CM

Seals & Mounting

CC

Reinforced

RX

Seal Packaging & A

SH

Accessories & Upgrades

Airflow & Cabling

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Component Index

CX



# Server rack cooling and air management solutions

## See Server data center cooling solutions

See Server data center cooling solutions in a series of articles, including predictive capacity and efficiency, rack room or room level, modular and flexible solutions, deployment of rack and efficiency, adding capacity as needed.

### Rack containment

- Containment for a single rack
- Modular design easily adapts to front and rear of racks and close coupling cooling, simplifying installation
- As scale opens, enables capacity sharing of pre-cooling systems, redundancy and efficiency



### Pod containment

- Pods take containment as a separate supporting pod, allowing for installation and replacement of the need to change equipment in racks
- Rack reads are designed to deploy a scale in increments of racks
- Allows and scaling supports necessary in racks, reducing the need for air containment or a rack space
- As scale opens, enables capacity sharing of pre-cooling and power configurations



Available as a complete data center solution, including integrated power rack and cooling

Learn more →



| Rack Series Comparison |    |
|------------------------|----|
| Rack Series            |    |
| re i                   | SX |
| ssen ia                | SV |
| So ndproo              | SP |
| a o n                  | WX |
| os & os                | OF |
| Seis ic o o & A        | CM |
| so & on g red          | CC |
| R gged                 | RX |
| S ock ackaging & a e   | SH |
| Accessories & Upgrades |    |
| Airflow & Cabling      | AC |
| Sec ri & Access        | SA |
| Rack Us                | PD |
| Index                  |    |
| rod c Index            | PX |
| o pai ii Index         | CX |







# e S e er ca e anage en

## Vertical cable management

er e S e er S enc os re con ains ero U accessor c annes in e rear o e rack Use ese o oo ess o n er ica rack Us and er ica ca e organi ers

## Additional vertical zero-U accessory channels


| SKU    | Description                           |
|--------|---------------------------------------|
| AR7502 | er ica U accessor c anne U pack       |
| AR7552 | er ica U accessor c anne U pack       |
| AR7572 | er ica U accessor c anne U pack       |
| AR7511 | arro er ica U accessor c anne U       |
| AR7505 | er ica ca e organi er cen er rear o n |

## Accessories for vertical cable management

| SKU            | Description                            | Features                                                                                                                                                     |
|----------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AR8442         | er ica ca e organi er eig ca e rings U | S ppor s o A A A da a ca es o n s oo ess on e er ica U accessor c anne                                                                                       |
| AR8443A        | er ica er organi er                    | Ins a s oo ess akes pone a o c anne i er spoo on ki a aia e AR                                                                                               |
| AR8457         | a a dis ri ion U S pane                | Ins a s oo ess akes pone a o c anne oo ess o n s p o o r ca e eads por s or rack o rack connec ions                                                          |
| AR7710         | a e con ain en racke s i rack U o ning | o pro e er ica ca e anage en S ppor s o A A A da a ca es o n s oo ess on e er ica U accessor c anne                                                          |
| AR7711         | ero U accessor racke                   | o n s rack Us in rear acing orien a ion S ppor s i rd par accessories in n ero s o ning con g ra ions o n s U or U pa c pane s or o er ne orking accessories |
| AR8621         | ook and oop ca e anagers pack          | Sec res and nd es ca es i ook and oop ies o n s oo ess on e er ica U accessor c anne                                                                         |
| AR7721, 22, 23 | o pro e er ica ca e anagers ero U      | S ppor s p o A A or er ca es o n s oo ess on e er ica U accessor c anne                                                                                      |

## High-capacity cable management

| SKU     | Description                                                                                                                                                                  |
|---------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| AR7580A | ig capaci er ica ca e anager or e S e er S in ide enc os res AR x x s ppor s o A A A da a ca es per sec ion and A A per c anne sec ion ac ki co ers one corner o e enc os re |
| AR7581A | inged co ers or AR A er ica ca e anagers                                                                                                                                     |



AR

AR

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Airflow & Cabling

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pa i i i Index

CX





# the Schneider range

## horizontal cable managers

### Finger-type horizontal cable managers

These managers for patching and crossover applications featuring standard plastic fingers protect cable routing and bending. Ringed snap-on covers provide a clean look and remain large cable ends. These cable managers include standard and double-sided configurations.

| SKU     | Description                                                                                        |
|---------|----------------------------------------------------------------------------------------------------|
| AR8602A | Universal cable manager with 12 fingers and snap-on cover                                          |
| AR8600A | Universal cable manager with 12 fingers and snap-on cover                                          |
| AR8612  | Universal cable manager with 12 fingers and snap-on cover                                          |
| AR8606  | Universal cable manager with 12 fingers and snap-on cover                                          |
| AR8603A | Universal cable manager with 12 fingers, snap-on cover, rear cable pass, and 2 sockets for AR8602A |
| AR8605  | Universal cable manager with 12 fingers, snap-on cover, rear cable pass, and 2 cable channels      |


### Ring-type horizontal cable managers

Conical cable managers for patching applications featuring a wide range of configurations to meet specific needs.

| SKU     | Description                                                    |
|---------|----------------------------------------------------------------|
| AR8425A | Universal cable manager with 12 rings                          |
| AR8426A | Universal cable manager with 12 rings                          |
| AR8428  | Universal cable manager with 12 rings and pass-through         |
| AR8427A | Universal cable manager with 12 rings and side cable retainers |
| AR8113A | Cable manager rings, large size                                |
| AR7707  | Cable manager rings, deep or wide enclosure AR x x pack        |

### Horizontal cable management accessories

| SKU        | Description                                             |
|------------|---------------------------------------------------------|
| AR8429     | Universal cable manager with 12 rings                   |
| AR8129     | Cable manager rings, deep or wide enclosure AR x x pack |
| AR8008BLK  | Cable manager rings, large size                         |
| AR8016ABLK | Cable manager rings, large size                         |
| AR7706     | Cable manager rings, deep or wide enclosure AR x x pack |



Accessories are now available for pre-configuration in the Schneider Racks and enclosures.

on account of Schneider electric represent a i e o earn o

Rack Series comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Airflow & Cabling

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pa i i i Index

CX



# Server Storage Management

## Power Cables and Partitions

Server enclosures are designed to house sensitive storage and networking power and data cables across the top

these storage and partitions

Reduction need for expensive spent cable racks

Installation is snap in and a standard attachment points for cable adders

enclosures are shown here for information on power and cooling storage and partitions see the [APC website](#)

### 1 Power cable trough

Supports power distribution cables  
Provides separation from data cables  
Data cables pass through underneath  
or non-partitioned area

| SKU    | Description                     |
|--------|---------------------------------|
| AR8561 | Power cable trough in enclosure |
| AR8571 | Power cable trough in enclosure |

### 2 Solid data cable partition


Partitions the top of enclosure in cable routing areas  
Solid face provides clean appearance  
Available for enclosure

| SKU        | Description                        |
|------------|------------------------------------|
| AR8163ABLK | Power cable partition in enclosure |
| AR8173BLK  | Power cable partition in enclosure |

### 3 Pass-through data cable partition

Partitions the top of enclosure in cable routing areas  
Allows for cable to pass through  
Access into specific cable areas

| SKU        | Description                        |
|------------|------------------------------------|
| AR8162ABLK | Power cable partition in enclosure |
| AR8172BLK  | Power cable partition in enclosure |



### 4 Cable ladders and accessories

Cable adders and attachment kits  
for routing power and data cables  
over head rack to rack



| SKU        | Cable adders and Accessories                                           | SKU | Cable Accessories |
|------------|------------------------------------------------------------------------|-----|-------------------|
| AR8164ABLK | Cable ladder, 6 in. (152 mm) (AR8164AKIT 6 in. ladder with attach kit) | AR  | Cable corner cap  |
| AR8165ABLK | Cable adder in AR A1 in adder i a ac ki                                | AR  | Cable angle cap   |
| AR8576     | Aluminum mounting adder for power storage                              | AR  | Cable stacking    |
| AR8177BLK  | Aluminum mounting adder for data partitions                            | AR  | Cable alignment   |
| AR8168BLK  | Cable adder for server storage                                         | AR  | Cable cap kit     |
| AR8186     | Cable adder for rack                                                   |     |                   |
| AR8460     | Cable adder for rack                                                   |     |                   |



AR



AR A



AR A



AR

Rack Series Comparison

Rack Series

re i

SX

ssenia

SV

Soundproof

SP

ation

WX

os & os

OF

Seismic & A

CM

so & on grid

CC

Rugged

RX

Stock packaging & a e

SH

Accessories & Upgrades

Airflow & Cabling

AC

Security & Access

SA

Rack Us

PD

Index

rod c Index

PX

o p a i i i Index

CX



# Shelves and Shelving Hardware

Shelving accessories to aid in the installation of the equipment and secure racks in position

## Shelving

Fixed and sliding shelves to enable the shelving of equipment in server racks and other equipment

| SKU        | Description                                   |
|------------|-----------------------------------------------|
| AR8105BLK  | Fixed shelf 10kg                              |
| AR8122BLK  | Fixed shelf 12kg                              |
| AR8123BLK  | Sliding shelf 12kg                            |
| AR8128BLK  | Sliding shelf 12kg                            |
| AR8422     | One side fixed shelf for 20U rack             |
| AR8126ABLK | Interlocking sliding shelf 12kg               |
| AR8127BLK  | Interlocking sliding shelf 12kg               |
| AR8006A    | Interlocking shelf support rails for 20U rack |

## Bolt-down and stabilization

Stabilization plates and hardware to prevent tipping of equipment in racks and for one rack applications and for specific anchoring requirements

| SKU      | Description                      |
|----------|----------------------------------|
| AR7700   | Stabilization plate for 20U rack |
| AR7701   | Stabilization plate for 20U rack |
| AR7701-S | Stabilization plate for 20U rack |

## Miscellaneous mounting brackets


Various mounting brackets for equipment

| SKU       | Description                                   |
|-----------|-----------------------------------------------|
| AR7711    | Universal mounting bracket for 20U rack       |
| AR8150BLK | Interlocking shelf support rails for 20U rack |

## Hardware kits

Additional hardware needs for equipment installation and other equipment

| SKU    | Description               |
|--------|---------------------------|
| AR8100 | Hardware kit for 20U rack |
| AR8400 | Hardware kit for 20U rack |
| AR8005 | Hardware kit for 20U rack |




|                              |   |         |
|------------------------------|---|---------|
| Rack Series                  | o | parison |
| ..... Rack Series            |   |         |
| re i                         |   | SX      |
| ssen ia                      |   | SV      |
| So ndproo                    |   | SP      |
| a o n                        |   | WX      |
| os & os                      |   | OF      |
| Seis ic oo & A               |   | CM      |
| so & on g red                |   | CC      |
| R gged                       |   | RX      |
| S ock ackaging & ae          |   | SH      |
| ..... Accessories & Upgrades |   |         |
| Airflow & Cabling            |   | AC      |
| Sec ri & Access              |   | SA      |
| Rack Us                      |   | PD      |
| ..... Index                  |   |         |
| rod c Index                  |   | PX      |
| o pai ii Index               |   | CX      |



# e S e er S rack co ponen s

## Replacement doors, side panels, roofs

Standard doors, side panels and roofs are available for all enclosures.



## Specialty roofs, side panels and accessories

| SKU     | Description                                            |
|---------|--------------------------------------------------------|
| AR7252* | Working roof for 19" 48U 1200mm deep                   |
| AR7716* | Working roof for 19" 48U 1200mm deep                   |
| AR7215  | e S e er A enclosure top cover for 19" 48U 1200mm deep |
| AR7209  | Pen roof for 19" 48U 1200mm deep                       |
| AR7305A | e S e er S pass through side panel 19" 48U 1200mm deep |
| AR7313  | e S e er S pass through side panel 19" 48U 1200mm deep |
| AR7315  | e S e er S pass through side panel 19" 48U 1200mm deep |
| AR7316  | e S e er S pass through side panel 19" 48U 1200mm deep |
| AR7375  | e S e er S pass through side panel 19" 48U 1200mm deep |
| AR7314  | e S e er S pass through side panel 19" 48U 1200mm deep |
| AR7714  | Replace snap in strips for S roofs                     |
| ACF501  | Roof for 19" 48U 1200mm deep enclosure                 |
| ACF502  | Roof for 19" 48U 1200mm deep enclosure                 |
| ACF503  | Roof for 19" 48U 1200mm deep enclosure                 |
| ACF504  | Roof for 19" 48U 1200mm deep enclosure                 |
| ACF505  | Roof for 19" 48U 1200mm deep enclosure                 |
| AR8132A | Roof for 19" 48U 1200mm deep enclosure                 |

For more information, see the e S e er S enclosure accessories.

## Rails

### Mounting rails



For 19" 48U 1200mm deep enclosures.

| SKU    | Description                                 |
|--------|---------------------------------------------|
| AR7510 | 19" 48U 1200mm deep enclosure mounting rail |

### Recessed rail kits

For 19" 48U 1200mm deep enclosures.

| SKU    | Description                                 |
|--------|---------------------------------------------|
| AR7503 | 19" 48U 1200mm deep enclosure mounting rail |
| AR7504 | 19" 48U 1200mm deep enclosure mounting rail |
| AR7508 | 19" 48U 1200mm deep enclosure mounting rail |
| AR7578 | 19" 48U 1200mm deep enclosure mounting rail |



Rack Series comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Airflow & Cabling

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

o pa i i i Index

CX



# Physical security and monitoring

Devices for enhanced security and environmental monitoring



### Physical security

• RFID access control  
• Remote access control  
• Intrusion detection  
and notification  
• Remote camera  
monitoring through  
cloud camera



### Environmental monitoring

• Wide range of wired and wireless  
sensors for monitoring  
environmental  
parameters like  
door smoke, vibration,  
point air, door contact  
and



### Management capabilities

• Allowing administrators  
notification methods including  
graphical and video access  
• Integrated Cisco SRX  
management interface  
through a single interface  
and interface and sensor data



Rack Access Control



Rack Access Control



Rack Access Control

## Physical access control

• On-premise proximity cards or access control access  
• Remote management and notification

**EcoTruxure™**  
Innovation At Every Level

| APC Rack Access Control                                                             | SKU                        | For use with | Description                                             | Features                                                            |
|-------------------------------------------------------------------------------------|----------------------------|--------------|---------------------------------------------------------|---------------------------------------------------------------------|
|  | AS-125<br>Single and dual  | RFID<br>or   | Standard appliance or<br>optional per rack              | Enhanced notification<br>Remote storage capacity                    |
|  | AS-1356<br>Single and dual | RFID<br>or   | Standard appliance or<br>optional per rack              | Enhanced notification<br>Remote storage capacity                    |
|  |                            | RFID<br>or   | Rack access pod is<br>daisy-chained to the<br>appliance | Enhanced notification<br>Supports secure and<br>support for network |

Single and dual or secure access control for AR xxS x See [Compatibility Index](#) for more information

Rack Series Comparison

Rack Series Comparison

RFID

SX

Security

SV

Soundproof

SP

Access

WX

OS & OS

OF

Seismic & A

CM

SO & On-grid

CC

Rugged

RX

Stock packaging & a

SH

Accessories & Upgrades

Air & Air

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Optional Index

CX









# Rack power distribution



## Standard Rack vs Advanced

A rack power distribution unit is a standard component in a data center design. It provides a central point for power distribution to the racks and equipment. It is designed to be easy to install and maintain.


It is designed to be easy to install and maintain. It is designed to be easy to install and maintain. It is designed to be easy to install and maintain.



## Standard Rack vs Us

A standard rack power distribution unit is a standard component in a data center design. It provides a central point for power distribution to the racks and equipment. It is designed to be easy to install and maintain.

It is designed to be easy to install and maintain. It is designed to be easy to install and maintain. It is designed to be easy to install and maintain.



## as Rack vs Us

Available globally excluding US & Canada

An easy-to-install, easy-to-use, easy-to-maintain rack power distribution unit. It provides a central point for power distribution to the racks and equipment. It is designed to be easy to install and maintain.

It is designed to be easy to install and maintain. It is designed to be easy to install and maintain. It is designed to be easy to install and maintain.

Rack Series Comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

so & on g red

CC

R gged

RX

Stock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack PDUs

SA

Index

rod c Index

PX

o pai ii Index

CX



# Rack power distribution

## Product features Rack Units

Our new range of standard rack units designed to increase manageability and efficiency in your data center. The right unit for you, comparing features across our Series of Advanced and Basic Rack Units. Pick and compare the one you need. Also, check out our range of power distribution accessories and additional services.

| SKUs                                                 | APDU10XXX           | APDU9XXX | AP8XXX     | AP7XXX | EPDUXXX                        |
|------------------------------------------------------|---------------------|----------|------------|--------|--------------------------------|
| Rack PDU Family                                      | NetShelter Advanced |          | NetShelter |        | Easy Rack                      |
| Availability                                         | Global              |          | Global     |        | Global (excluding US & Canada) |
| Nominal power                                        | k                   | k        | k          |        | k                              |
| Maximum operating temperature                        |                     |          |            |        |                                |
| Max sockets per unit                                 |                     |          |            |        |                                |
| U-space (implied positioning)                        | U                   | U U      | U          | U U    | U U                            |
| Basic, Metered, Switched, by Outlet or Combo         | A                   | Switched | A          | A      | A                              |
| High retention outlets                               | •                   | •        | •          | •      |                                |
| Ultra-low profile circuit breakers                   | •                   | •        | •          |        |                                |
| Locking IEC outlets                                  | •                   | •        | •          |        |                                |
| 4-in-1 outlet                                        | •                   |          |            |        |                                |
| High-density outlets                                 | •                   |          |            |        |                                |
| Alternating phase and color-coded outlets            | •                   |          |            |        |                                |
| Wi-Fi connectivity                                   |                     | •        | •          | •      |                                |
| Remote outlet control, power sequencing and grouping | •                   | •        | •          | •      | •                              |
| User access control                                  | •                   | •        | •          | •      | Optional                       |
| Ethernet connectivity                                | Optional            | Optional |            |        |                                |
| Network port sharing                                 |                     |          |            |        |                                |
| Easy local firmware updates                          | •                   | •        | •          |        | •                              |
| NMC power sharing                                    | •                   |          |            |        |                                |
| Dual network ports for multi-user access             | •                   |          |            |        |                                |
| Metering accuracy                                    |                     |          |            |        | Optional                       |
| Environmental monitoring port                        | Optional            | •        | •          |        | •                              |
| EcoStruxure IT compatibility                         | Optional            | •        | •          | •      | •                              |
| Field-replaceable network management module          | Optional            | •        | •          |        |                                |
| Warranty                                             | Year                | Year     | Year       | Year   | Year                           |



View the U-Check guide

Rack Series comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Accessories

WX

OS & OS

OF

Series & A

CM

OS & on grid

CC

Rugged

RX

Stock packaging & sale

SH

Accessories & Upgrades

Air flow & cooling

AC

Security & Access

SA

Rack PDUs

SA

Index

Product Index

PX

Comparison Index

CX



# Product Index



Reference Series Racks  
See Series Enclosures

|                                   | Model (Black) | Model (White) | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static (lb.) | Dynamic (lb.) | Doors & Sides | 0U Accessory Channels |      |            |
|-----------------------------------|---------------|---------------|------------|-------------|------------|------------|--------------------------|--------------|---------------|---------------|-----------------------|------|------------|
| NetShelter SX (latest generation) | AR            |               |            |             |            |            |                          |              |               | ✓             |                       | rope | or A erica |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
| NetShelter SX (original)          | AR            |               |            |             |            |            |                          |              |               | ✓             |                       | o a  |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AA            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AA            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AA            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   |               | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            |               |            |             |            |            |                          |              |               | ✓             |                       |      |            |
|                                   | AR            | AR            |            |             |            |            |                          |              |               | ✓             |                       |      |            |

Rack Series Comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

Product Index

PX

o pa i i i Index

CX



rod c Index



re i Ser er Racks  
e S e er S nc os res on g red oors and Side ane s

| SKU        | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| AR3104X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3100X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3100X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3100X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3130X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3150X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3150X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3150X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3300X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3300X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3300X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3350X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3350X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3350X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3107X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3107X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3107X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3157X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3157X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3157X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3307X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3307X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3307X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |
| AR3357X609 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR3357X610 |            |             |            |            |                          |                        |                         | ✗     | ✓     |
| AR3357X617 |            |             |            |            |                          |                        |                         | ✗     | ✗     |



e S e er S e orking Racks S andard

| SKU (Black) | SKU (White) | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|-------------|-------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| AR3140      | AR3140W     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR3340      | AR3340W     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR3347      | AR3347W     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| -           | AR3348WX832 |            |             |            |            |                          |                        |                         | ✓     | ✓     |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

Product Index

PX

o pai ii Index

CX



# rod c Index



re i Ser er Racks  
e S e er S Ser er nc os res S ock ackaging

| SKU (Black) | SKU (White)   | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Shippable (kg / lb.) | Doors | Sides |
|-------------|---------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|----------------------|-------|-------|
| AR3003SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3103SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3006SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3106SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3104SP1   | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3100SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3150SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3300SP    | AR3300WSP     |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3350SP    | AR3350WSPX832 |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3105SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3155SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3305SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3355SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3107SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3157SP    | AR3157WSP     |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3307SP    | AR3307WSP     |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |
| AR3357SP    | –             |            |             |            |            |                          |                        |                         |                      | ✓     | ✓     |

ssen ia Ser er Racks  
e S e er S nc os res



| SKU (assembled) | SKU (unassembled) | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|-----------------|-------------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| AR2400          | AR2400FP1         |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2401          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| AR2480          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2500          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2580          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2407          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2487          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2507          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| AR2587          | –                 |            |             |            |            |                          |                        |                         | ✓     | ✓     |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

Product Index

PX

o pa i i i Index

CX



# rod c Index



ssenia Ser er Racks

A as Racks

| SKU        | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Doors | Sides |
|------------|------------|-------------|------------|------------|--------------------------|------------------------|-------------------------|-------|-------|
| ER6482     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6402     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6422     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6282     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8282     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6202     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6202FP1* |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6200     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8202     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8200     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER6212     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8212     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6222     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6220     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8222     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8220     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER6802     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6800     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8802     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8800     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER6812     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8812     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6822     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER6820     |            |             |            |            |                          |                        |                         | ✓     | ✗     |
| ER8822     |            |             |            |            |                          |                        |                         | ✓     | ✓     |
| ER8820     |            |             |            |            |                          |                        |                         | ✓     | ✗     |

Unasse ed and a packed rack op ion and s e asse ed onsi e

Rack Series o parison

Rack Series

re i

SX

ssenia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

Product Index

PX

o pa i i i Index

CX





# rod c Index

Rack

Rack i per ora ed door



| SKU      | Rack Units | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Fan Ventilation | Perforated Doors | Glass Doors |
|----------|------------|------------|------------|--------------------------|------------------------|-------------------------|-----------------|------------------|-------------|
| NR8282-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6282-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR8202-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6202-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR8682-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6682-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR8602-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6602-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR8482-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6482-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR8402-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6402-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR8882-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6882-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR8802-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |
| NR6802-P |            |            |            |                          |                        |                         | So d separa e   | ✓                | ✗           |

Rack

Rack i g ass door



| SKU      | Rack Units | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg / lb.) | Fan Ventilation | Perforated Doors | Glass Doors |
|----------|------------|------------|------------|--------------------------|------------------------|-------------------------|-----------------|------------------|-------------|
| NR8282-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6282-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR8202-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6202-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR8682-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6682-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR8602-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6602-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR8482-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6482-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR8402-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6402-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR8882-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6882-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR8802-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |
| NR6802-G |            |            |            |                          |                        |                         | So d separa e   | ✗                | ✓           |

Rack Series o parison

Rack Series

re i SX

ssen ia SV

So ndproo SP

a o n WX

os & os OF

Seis ic o o & A CM

s o & on g red CC

R gged RX

S ock ackaging & a e SH

Accessories & Upgrades

Air o & a ing AC

Sec ri & Access SA

Rack Us PD

Index

Product Index PX

o pa i i i Index CX



rod c Index

Special Racks  
eS e er So ndproo Racks



| SKU<br>(110 –120 V) | SKU<br>(220 – 240 V) | Rack<br>Units | Height<br>(mm) | Width<br>(mm) | Depth<br>(mm) | Max<br>Equipment<br>Depth (mm) | Static<br>Load<br>(kg / lb.) | Dynamic<br>Load<br>(kg / lb.) | Cooling<br>Capacity<br>(kW) | Sound<br>Reduction<br>(dBA @ 1m) |
|---------------------|----------------------|---------------|----------------|---------------|---------------|--------------------------------|------------------------------|-------------------------------|-----------------------------|----------------------------------|
| AR4012A*            |                      |               |                |               |               |                                |                              |                               |                             |                                  |
| AR4017A             | AR4017IA             |               |                |               |               |                                |                              |                               |                             |                                  |
| AR4032A             | AR4032IA             |               |                |               |               |                                |                              |                               |                             |                                  |
| AR4038LA            | AR4038LIA            |               |                |               |               |                                |                              |                               |                             |                                  |

All models are constructed with locking front/rear and side panels in 18 gauge anodized aluminum. They feature 19" standard rack spacing and are UL certified for fire and theft protection. They are also available with optional features.



Accessories  
eS e er a o n nc os res

| SKU<br>(assembled)   | SKU<br>(unassembled) | Rack<br>Units | Height<br>(mm) | Width<br>(mm) | Depth<br>(mm) | Max Equipment<br>Depth (mm) | Static<br>Load (kg / lb.) | Ventilation | Door Type* | Rating |
|----------------------|----------------------|---------------|----------------|---------------|---------------|-----------------------------|---------------------------|-------------|------------|--------|
| SWITCH DEPTH         |                      |               |                |               |               |                             |                           |             |            |        |
| AR106SH4             | AR106                |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR109SH4             | AR109                |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR112SH4             |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| SERVER DEPTH         |                      |               |                |               |               |                             |                           |             |            |        |
| AR106SH6             |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR109SH6             |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR112SH6             | AR112                |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR100                |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR100HD              |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| UPS DEPTH            |                      |               |                |               |               |                             |                           |             |            |        |
| AR112SM              |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR118SM              |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR124SM              |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| VERTICAL/LOW PROFILE |                      |               |                |               |               |                             |                           |             |            |        |
| AR106V               |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |
| AR106VI              |                      |               |                |               |               |                             |                           | Assisted    | Standard   | 1      |



Special Racks  
Open and Open Frame Racks

| SKU         | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment<br>Depth (mm) | Static Load<br>(kg / lb.) | Hole Type |
|-------------|------------|-------------|------------|------------|-----------------------------|---------------------------|-----------|
| 4 POST RACK |            |             |            |            |                             |                           |           |
| AR203A      |            |             |            |            |                             |                           | Standard  |
| AR204A      |            |             |            |            |                             |                           | Standard  |
| 2 POST RACK |            |             |            |            |                             |                           |           |
| AR201       |            |             |            |            |                             |                           | Standard  |

Rack Series Comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Accessories

WX

Options & Upgrades

OF

Seismic & A

CM

Software & Integration

CC

Refrigerated

RX

Storage & Packaging

SH

Accessories & Upgrades

Airflow & Cooling

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Comparison Index

CX



rod c Index



Specialty Racks  
Seismic and A Racks

| SKU                               | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Dynamic Load (kg/ lb.) | Features        | Doors | Sides |
|-----------------------------------|------------|-------------|------------|------------|--------------------------|------------------------|------------------------|-----------------|-------|-------|
| AV AUDIO / VIDEO                  |            |             |            |            |                          |                        |                        |                 |       |       |
| AR3814                            |            |             |            |            |                          |                        |                        | oes             | ✓     | ✗     |
| AR3810                            |            |             |            |            |                          |                        |                        | oes             | ✗     | ✗     |
| AR3812                            |            |             |            |            |                          |                        |                        | oes             | ✓     | ✓     |
| SX MULTI-COMPARTMENT / COLOCATION |            |             |            |            |                          |                        |                        |                 |       |       |
| AR3200                            |            |             |            |            |                          |                        |                        | x U co par en s | ✓     | ✓     |
| VX SEISMIC                        |            |             |            |            |                          |                        |                        |                 |       |       |
| AR2144BLK                         |            |             |            |            |                          | kg                     | seis ic oad            | Seis ic one     | ✓     | ✓     |
| AR2145BLK                         |            |             |            |            |                          | kg                     | seis ic oad            | Seis ic one     | ✓     | ✗     |



Rugged Racks  
eS e erR nc os res

| SKU              | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Rating | Ventilation   | Door Type | Availability |
|------------------|------------|-------------|------------|------------|--------------------------|------------------------|--------|---------------|-----------|--------------|
| NSYSFRSEDC12680  |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC206100 |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC20680  |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC208100 |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| NSYSFRSEDC208120 |            |             |            |            |                          |                        | A I    | So d separa e | So id     | A            |
| AR5340           |            |             |            |            |                          |                        | A I    | ✗             | So id     | UR           |
| AR5340F          |            |             |            |            |                          |                        | A I    | ✓             | So id     | UR           |

ditional added

eS e erR a on nc os re

| SKU            | Rack Units | Height (mm) | Width (mm) | Depth (mm) | Max Equipment Depth (mm) | Static Load (kg / lb.) | Rating | Ventilation | Door Type | Availability |
|----------------|------------|-------------|------------|------------|--------------------------|------------------------|--------|-------------|-----------|--------------|
| NSYVDMRS16UEDC |            |             |            |            |                          |                        | A      | ✗           | ass       | A            |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

so & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

Product Index

PX

o pa i i i Index

CX



# o pa i i i Index

a e o on en s

e S e er S Racks

e S e er S Racks

A as Racks

Rack

e S e er So ndproo Racks

e S e er a o n nc os res

e S e er pen ra e and Specia Racks

e S e er R Racks

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



o pa i i i Index



Accessories  
e S e er S nc os res

| Accessories               |               |                          |             | Premium Server Racks |     |     |     |     |              |     |     | Networking Racks |     |  |
|---------------------------|---------------|--------------------------|-------------|----------------------|-----|-----|-----|-----|--------------|-----|-----|------------------|-----|--|
| e S e er S nc os res      |               |                          |             | NetShelter SX        |     |     |     |     |              |     |     | NetShelter SX    |     |  |
| Category                  | Product       | Description              | SKU         | 600 mm W             |     |     |     |     | 750/800 mm W |     |     | 750 mm W         |     |  |
|                           |               |                          |             | 12/18U               | 24U | 42U | 45U | 48U | 42U          | 45U | 48U | 42U              | 48U |  |
| Vertical Cable Management | Inger         | Sing e ron               | AR A        |                      |     |     |     |     |              |     |     | ✓                |     |  |
|                           |               |                          | AR          |                      |     |     |     |     |              |     |     |                  | ✓   |  |
|                           |               | a ron Rear               | AR A        |                      |     |     |     |     | ✓            |     |     | ✓                |     |  |
|                           |               |                          | AR          |                      |     |     |     |     |              | ✓   |     |                  |     |  |
|                           |               |                          | AR          |                      |     |     |     |     |              |     | ✓   |                  | ✓   |  |
|                           |               | inged o er or a inger    | AR A        |                      |     |     |     |     | ✓            |     |     |                  |     |  |
|                           |               |                          | AR          |                      |     |     |     |     |              | ✓   |     |                  |     |  |
|                           |               |                          | AR          |                      |     |     |     |     |              |     | ✓   |                  |     |  |
|                           |               | a e Re ainers or a inger | AR A        |                      |     |     |     |     |              |     |     | ✓                | ✓   |  |
|                           |               |                          | AR          |                      |     | ✓   |     |     |              |     |     | ✓                |     |  |
|                           |               |                          | Sing e Rear | AR                   |     |     |     | ✓   |              |     |     |                  |     |  |
|                           |               | AR                       |             |                      |     |     |     | ✓   |              |     |     |                  |     |  |
|                           | AR            |                          |             |                      |     |     |     | ✓   |              |     |     | ✓                |     |  |
|                           | Ring          | Sing e Ring U            | AR          |                      |     |     |     |     |              |     |     | ✓                | ✓   |  |
|                           |               | Ring a eig               | AR          |                      | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |  |
|                           |               | Sing e Ring oo ess       | AR          |                      |     | ✓   | ✓   | ✓   |              |     |     | ✓                | ✓   |  |
|                           | racke         | a e on ain en U o n      | AR          | ✓                    | ✓   | ✓   | ✓   | ✓   |              |     |     | ✓                | ✓   |  |
|                           | a e ree       | en er o n                | AR          |                      |     | ✓   |     | ✓   | ✓            |     | ✓   | ✓                | ✓   |  |
|                           | i er rgani er | racke Spoo               | AR A        |                      | ✓   | ✓   | ✓   | ✓   |              |     |     | ✓                | ✓   |  |
|                           |               | Spoo s n                 | AR          | ✓                    | ✓   | ✓   | ✓   | ✓   |              |     |     | ✓                | ✓   |  |
|                           | er ica anne   | U Accessor anne o n      | AR          |                      |     | ✓   |     |     |              | ✓   |     |                  | ✓   |  |
|                           |               |                          | AR          |                      |     |     | ✓   |     |              | ✓   |     |                  |     |  |
| AR                        |               |                          |             |                      |     |     | ✓   |     |              | ✓   |     |                  | ✓   |  |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic oo & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



o pa i i i Index



Accessories  
e S e er S nc os res

| Category                          | Product               | Description                     | SKU  | Premium Server Racks |     |     |     |     |              |     |     | Networking Racks |     |
|-----------------------------------|-----------------------|---------------------------------|------|----------------------|-----|-----|-----|-----|--------------|-----|-----|------------------|-----|
|                                   |                       |                                 |      | NetShelter SX        |     |     |     |     |              |     |     | NetShelter SX    |     |
|                                   |                       |                                 |      | 600 mm W             |     |     |     |     | 750/800 mm W |     |     | 750 mm W         |     |
|                                   |                       |                                 |      | 12/18U               | 24U | 42U | 45U | 48U | 42U          | 45U | 48U | 42U              | 48U |
| Horizontal<br>Cable<br>Management | U a e<br>anagers      | inger                           | R    | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | inger                           | AR A | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | inger                           | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | Ring                            | AR A | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | r s ass ro g                    | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | anage en Ar                     | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   | U a e<br>anagers      | inger                           | AR A | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | inger                           | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | inger r s<br>S rip & acing ar   | AR A | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | Ring S andard                   | AR A | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | Ring<br>ass ro g                | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | Ring ingers                     | AR A | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   | U                     | inger                           | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   | isc                   | Ring g s                        | AR A | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | ron o Rear<br>Ad s              | AR A |                      |     |     |     |     | ✓            | ✓   | ✓   |                  |     |
|                                   |                       | ron o Rear<br>Ad s              | AR   |                      |     |     |     |     | ✓            | ✓   | ✓   |                  |     |
|                                   |                       | a e ies<br>ook oop              | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
| Airflow<br>Management             | anking<br>ane         | oo ess Snap in<br>U             | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | oo ess Snap in<br>U             | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | ixed U                          | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | ixed U U U<br>U ane i           | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   | Air o<br>Recirc a ion | Air a In Rack<br>Recirc a ion i | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | Air a x Rack<br>oor Sea ing i   | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | Air a<br>a ing ri i             | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                                   |                       | Air a on ing<br>Rai r s S rips  | AR   |                      |     |     |     |     | ✓            | ✓   | ✓   | ✓                | ✓   |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



on in ed on e nex page



o pa i i i Index



Accessories

e S e er S nc os res

| Category                       | Product           | Description             | SKU    | Premium Server Racks |     |     |     |     |              |     |     | Networking Racks |             |
|--------------------------------|-------------------|-------------------------|--------|----------------------|-----|-----|-----|-----|--------------|-----|-----|------------------|-------------|
|                                |                   |                         |        | NetShelter SX        |     |     |     |     |              |     |     | NetShelter SX    |             |
|                                |                   |                         |        | 600 mm W             |     |     |     |     | 750/800 mm W |     |     | 750 mm W         |             |
|                                |                   |                         |        | 12/18U               | 24U | 42U | 45U | 48U | 42U          | 45U | 48U | 42U              | 48U         |
| Shelves & Mounting Accessories | S e es and ra ers | ixed ep apaci           | AR     | 1070 D only          | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | ixed ep apaci           | AR     | 1070 D only          | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | Siding Ad sa e ep apaci | AR     | 1070 D only          | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | 1200 D only      | 1200 D only |
|                                |                   | Siding Ad sa e ep apaci | AR     | 1070 D only          | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | Siding Ad sa e ep apaci | AR     | 1070 D only          | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | e oard ra ers           | AR A   | 1070 D only          | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | Ro a ing e oard ra ers  | AR     | 1070 D only          | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                | o o n is          | S a i i a ion a e       | AR     | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | S andard i              | AR     | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | Seis ic I S             | AR A S |                      | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                | ep Adap er        | ep x ender              | A      |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                | o n ing p ions    | U rien a ion o n ing    | AR     | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | Rai Adap er i           | AR     |                      |     |     |     |     | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | anne apan               | AR     |                      | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | e e ads                 | AR     |                      | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                | ard are age s     | age s                   | AR     | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | age s                   | AR     | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |
|                                |                   | Scre s                  | AR     | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓           |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



on in ed on e nex page

Compatibility Index



Accessories

Server Solutions

| Accessories                             |             |                |      | Premium Server Racks |     |     |     |     |              |       |       |          | Networking Racks |  |
|-----------------------------------------|-------------|----------------|------|----------------------|-----|-----|-----|-----|--------------|-------|-------|----------|------------------|--|
| e S e e r S n c o s r e s               |             |                |      | NetShelter SX        |     |     |     |     |              |       |       |          | NetShelter SX    |  |
| Category                                | Product     | Description    | SKU  | 600 mm W             |     |     |     |     | 750/800 mm W |       |       | 750 mm W |                  |  |
|                                         |             |                |      | 12/18U               | 24U | 42U | 45U | 48U | 42U          | 45U   | 48U   | 42U      | 48U              |  |
| Shelves & Mounting Accessories          | Rails       | Recessed Rails | AR   |                      |     | ✓   |     |     |              |       |       |          |                  |  |
|                                         |             |                | AR   |                      |     |     |     | ✓   |              |       |       |          |                  |  |
|                                         |             |                | AR   |                      |     |     |     |     | ✓            |       |       | ✓        |                  |  |
|                                         |             |                | AR   |                      |     |     |     |     |              |       | ✓     |          | ✓                |  |
|                                         |             | IA Rails       | AR   |                      |     |     |     |     | ✓            |       |       | ✓        |                  |  |
|                                         | Accessories | Shelves        | AR   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓     | ✓     | ✓        | ✓                |  |
|                                         | Special     | Opposite       | AR   |                      | ✓   | ✓   | ✓   | ✓   | ✓            | ✓     | ✓     | ✓        | ✓                |  |
| Roof Mounted Cable Troughs & Partitions | Troughs     | Slide          | AR   |                      |     | ✓   | ✓   | ✓   |              |       |       |          |                  |  |
|                                         |             | Slide          | AR   |                      |     |     |     |     | 700 W        | 700 W | 700 W |          |                  |  |
|                                         |             | Slide          | AR   |                      |     |     |     |     | ✓            | ✓     | ✓     | ✓        | ✓                |  |
|                                         |             | Slide          | AR   |                      |     |     |     |     | ✓            | ✓     | ✓     |          |                  |  |
|                                         |             | Open           | AR   |                      |     | ✓   | ✓   | ✓   |              |       |       |          |                  |  |
|                                         |             | Open           | AR   |                      |     |     |     |     | ✓            | ✓     | ✓     | ✓        | ✓                |  |
|                                         |             | Roof           | AR   |                      |     | ✓   | ✓   | ✓   | ✓            | ✓     | ✓     | ✓        | ✓                |  |
|                                         | Partitions  | Slide          | AR A |                      |     | ✓   | ✓   | ✓   |              |       |       |          |                  |  |
|                                         |             | Slide          | AR   |                      |     |     |     |     | 700 W        | 700 W | 700 W |          |                  |  |
|                                         |             | Slide          | AR   |                      |     |     |     |     | ✓            | ✓     | ✓     | ✓        | ✓                |  |
|                                         |             | Slide          | AR   |                      |     |     |     |     | ✓            | ✓     | ✓     |          |                  |  |
|                                         |             | Access         | AR A |                      |     | ✓   | ✓   | ✓   |              |       |       |          |                  |  |
|                                         |             | Access         | AR   |                      |     |     |     |     | 700 W        | 700 W | 700 W |          |                  |  |
|                                         |             | Access         | AR   |                      |     |     |     |     | ✓            | ✓     | ✓     | ✓        | ✓                |  |
|                                         |             | Access         | AR   |                      |     |     |     |     | ✓            | ✓     | ✓     |          |                  |  |

Rack Series Comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Accessories

WX

Accessories

OF

Seismic & A

CM

Accessories & Upgrades

CC

Rugged

RX

Storage & Access

SH

Accessories & Upgrades

Accessories & Upgrades

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatibility Index

CX



Continued on the next page

o pa i i i Index



Accessories  
e S e er S Racks

| Product Category            | Product    | Description           | SKU    | Premium Server Racks |     |     |     |     |              |     |     | Networking Racks |     |
|-----------------------------|------------|-----------------------|--------|----------------------|-----|-----|-----|-----|--------------|-----|-----|------------------|-----|
|                             |            |                       |        | NetShelter SX        |     |     |     |     |              |     |     | NetShelter SX    |     |
|                             |            |                       |        | 600 mm W             |     |     |     |     | 750/800 mm W |     |     | 750 mm W         |     |
|                             |            |                       |        | 12/18U               | 24U | 42U | 45U | 48U | 42U          | 45U | 48U | 42U              | 48U |
| Cable Ladders & Accessories | adders     | aa ae adder A ac en i | AR A   |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | aa ae adder           | AR A I |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | oe ae adder A ac en i | AR A   |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | oe ae adder           | AR A I |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             | A ac en is | ae ro g s             | AR A   |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | or ar ions            | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | or nc os res ro g s   | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | a p i                 | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | orner a p i           | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | Sacking i             | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | Ange a p i            | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | a er ina ion i        | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | adder anger i         | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             | as         | ae a                  | AR     |                      |     | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
| Security Options            | oor ocks   | o o oor ande          | AR A   | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | eo e card ande        |        | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |
|                             |            | eo e card ande        |        | ✓                    | ✓   | ✓   | ✓   | ✓   | ✓            | ✓   | ✓   | ✓                | ✓   |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic oo & A

CM

so & on g red

CC

R gged

RX

S ock ackaging & ae

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



# Comparison Index



## Accessories for Server Racks

| Product Category            | Product            | Description                          | SKU  | Essential Server Racks |     |          |     |
|-----------------------------|--------------------|--------------------------------------|------|------------------------|-----|----------|-----|
|                             |                    |                                      |      | NetShelter SV          |     |          |     |
|                             |                    |                                      |      | 600 mm W               |     | 800 mm W |     |
|                             |                    |                                      |      | 42U                    | 48U | 42U      | 48U |
| Vertical Cable Management   | Ingenieur          | Single Rear                          | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             | Ring               | Ring Adapter                         | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             | Rack               | Adapter for 19" U                    | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             | Vertical Organizer | Rack Spool                           | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Spooling                             | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             |                    |                                      |      |                        |     |          |     |
| Horizontal Cable Management | Universal Managers | Ingenieur                            | R    | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ingenieur                            | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ingenieur                            | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ring                                 | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Horizontal Spooling                  | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Adapter for Ar                       | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             | Universal Managers | Ingenieur                            | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ingenieur                            | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ingenieur Horizontal Strip & Adapter | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ring Standard                        | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ring Spooling                        | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Ring Adapters                        | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             | U                  | Ingenieur                            | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             | Accessories        | Ring Adapters                        | AR A | ✓                      | ✓   | ✓        | ✓   |
|                             |                    | Adapter for Spooling                 | AR   | ✓                      | ✓   | ✓        | ✓   |
|                             |                    |                                      |      |                        |     |          |     |
|                             |                    |                                      |      |                        |     |          |     |
|                             |                    |                                      |      |                        |     |          |     |
|                             |                    |                                      |      |                        |     |          |     |

Rack Series Comparison

Rack Series

re i

SX

essen ia

SV

Soundproof

SP

Adapter

WX

Spools & Spools

OF

Seismic Protection & A

CM

Spools & Spooling

CC

Rugged

RX

Storage Packaging & Adapter

SH

Accessories & Upgrades

Airflow & Cooling

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatibility Index

CX



Continued on the next page

# Comparison Index



## Accessories for Server Racks

| Product Category               | Product           | Description              | SKU  | Essential Server Racks |     |          |     |
|--------------------------------|-------------------|--------------------------|------|------------------------|-----|----------|-----|
|                                |                   |                          |      | NetShelter SV          |     |          |     |
|                                |                   |                          |      | 600 mm W               |     | 800 mm W |     |
|                                |                   |                          |      | 42U                    | 48U | 42U      | 48U |
| Airflow Management             | Banking Panel     | Doorless Snap In U       | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Doorless Snap In U       | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Fixed U                  | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Fixed U U U U Panel      | AR   | ✓                      | ✓   | ✓        | ✓   |
| Shelves & Mounting Accessories | Shelves & Racks   | Fixed Shelf Apaci        | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Fixed Shelf Apaci        | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Siding Ad Shelf Apaci    | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Siding Ad Shelf Apaci    | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Shelfboard Racks         | AR A | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Rolling Shelfboard Racks | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                | Mounting Options  | U Mounting S             | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Shelf Ends               | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                | Hardwired Shelves | Shelf S                  | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Shelf S                  | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                |                   | Shelf S                  | AR   | ✓                      | ✓   | ✓        | ✓   |
|                                | Special           | Shelf S                  | AR   | ✓                      | ✓   | ✓        | ✓   |

Rack Series Comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Accessories

WX

Shelves & Racks

OF

Seismic Protection & A

CM

Shelves & Mounting Accessories

CC

Rolling

RX

Shelf Packaging & A

SH

Accessories & Upgrades

Airflow & Cooling

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatibility Index

CX



# Comparison Index



## Accessories Essential Server Racks

| Product Category                        | Product     | Description               | SKU    | Essential Server Racks |     |          |     |
|-----------------------------------------|-------------|---------------------------|--------|------------------------|-----|----------|-----|
|                                         |             |                           |        | NetShelter SV          |     |          |     |
|                                         |             |                           |        | 600 mm W               |     | 800 mm W |     |
|                                         |             |                           |        | 42U                    | 48U | 42U      | 48U |
| Roof Mounted Cable Troughs & Partitions | Troughs     | Solid                     | AR     | ✓                      | ✓   |          |     |
|                                         |             | Solid                     | AR     |                        |     | ✓        | ✓   |
|                                         |             | Open                      | AR     | ✓                      | ✓   |          |     |
|                                         |             | Roof & Ro                 | AR     | ✓                      | ✓   | ✓        | ✓   |
|                                         | Partitions  | Solid                     | AR A   | ✓                      | ✓   |          |     |
|                                         |             | Solid                     | AR     |                        |     | ✓        | ✓   |
|                                         |             | Ass ro g                  | AR A   | ✓                      | ✓   |          |     |
|                                         |             | Ass ro g                  | AR     |                        |     | ✓        | ✓   |
| Cable Ladders & Accessories             | Ladders     | Standard Ladder Accessory | AR A   | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Standard Ladder           | AR A I | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Overhead Ladder Accessory | AR A   | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Overhead Ladder           | AR A I | ✓                      | ✓   | ✓        | ✓   |
|                                         | Accessories | Drainage Troughs          | AR     | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Corner Cap                | AR     | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Stacking                  | AR     | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Angle Cap                 | AR     | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Attachment                | AR     | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Ladder Anger              | AR     | ✓                      | ✓   | ✓        | ✓   |
|                                         | Access      | Access                    | AR     | ✓                      | ✓   | ✓        | ✓   |
| Security Options                        | Locks       | Door Lock & e             | AR A   | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Electronic Card & e       |        | ✓                      | ✓   | ✓        | ✓   |
|                                         |             | Electronic Card & e       |        | ✓                      | ✓   | ✓        | ✓   |

Rack Series Comparison

Rack Series

re i

SX

ssenia

SV

Soundproof

SP

ation

WX

os & os

OF

Seismic & A

CM

so & on g red

CC

Rugged

RX

Stock packaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX





| Accessories as Racks        |             |                           |      | Essential Server Racks |     |     |          |     |
|-----------------------------|-------------|---------------------------|------|------------------------|-----|-----|----------|-----|
|                             |             |                           |      | APC Easy Racks         |     |     |          |     |
|                             |             |                           |      | 600 mm W               |     |     | 800 mm W |     |
| Product Category            | Product     | Description               | SKU  | 24U                    | 42U | 48U | 42U      | 48U |
| Vertical Cable Management   | Inger       | ation Rear                | R    |                        |     |     | ✓        |     |
|                             |             | ation Rear                | R    |                        |     |     |          | ✓   |
|                             | erica anne  | Uanne Uon                 | R R  | ✓                      |     |     |          |     |
|                             |             |                           | R R  |                        | ✓   |     | ✓        |     |
|                             |             |                           | R R  |                        |     | ✓   |          | ✓   |
| Horizontal Cable Management | Uae anagers | Inger                     | R    | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Inger                     | AR A | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Inger                     | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Ring                      | AR A | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | rsassrog                  | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | anage en Ar               | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             | Uae anagers | Inger                     | AR A | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Inger                     | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Inger rs Strip & acing ar | AR A | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Ring Sandard              | AR A | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Ring assrog               | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | Ring ingers               | AR A | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             | U           | Inger                     | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             | isc         | Ring gs                   | AR A | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | ae ies ook                | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
| Airflow Management          | anking ane  | oo ess Snap in U          | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | oo ess Snap in U          | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | ixed U                    | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |             | ixed U U U U U ane i      | AR   | ✓                      | ✓   | ✓   | ✓        | ✓   |

- Rack Series ...

SX

SV

SP

WX

OF

CM



RX

SH

- Accessories & Upgrades ...

AC

SA

- Index ...

PX

CX



# Comparison Index



## Accessories

### Accessories Racks

| Product Category                        | Product               | Description                   | SKU     | Essential Server Racks |             |             |             |             |
|-----------------------------------------|-----------------------|-------------------------------|---------|------------------------|-------------|-------------|-------------|-------------|
|                                         |                       |                               |         | APC Easy Racks         |             |             |             |             |
|                                         |                       |                               |         | 600 mm W               |             |             | 800 mm W    |             |
|                                         |                       |                               |         | 24U                    | 42U         | 48U         | 42U         | 48U         |
| Shelves & Mounting Accessories          | Shelves & Racks       | Fixed Depth Rack              | AR      | not 800 D              | not 800 D   | not 800 D   | not 800 D   | not 800 D   |
|                                         |                       | Fixed Depth Rack              | AR      | not 800 D              | not 800 D   | not 800 D   | not 800 D   | not 800 D   |
|                                         |                       | Sliding Adjustable Depth Rack | AR      | not 800 D              | not 800 D   | not 800 D   | not 800 D   | not 800 D   |
|                                         |                       | Sliding Adjustable Depth Rack | AR      | not 800 D              | not 800 D   | not 800 D   | not 800 D   | not 800 D   |
|                                         |                       | Sliding Adjustable Depth Rack | AR      | not 800 D              | not 800 D   | not 800 D   | not 800 D   | not 800 D   |
|                                         |                       | Sliding Adjustable Depth Rack | R S     | 1100-1200 D            | 1100-1200 D | 1100-1200 D | 1100-1200 D | 1100-1200 D |
|                                         |                       | Sliding Adjustable Rack       | R S S   | 1000 D                 | 1000 D      | 1000 D      | 1000 D      | 1000 D      |
|                                         |                       | Board Racks                   | AR A    | not 800 D              | not 800 D   | not 800 D   | not 800 D   | not 800 D   |
|                                         |                       | Roaming Board Racks           | AR      | not 800 D              | not 800 D   | not 800 D   | not 800 D   | not 800 D   |
|                                         | Union Pions           | One-Id                        | R U R   | 1100-1200 D            | 1100-1200 D | 1100-1200 D | 1100-1200 D | 1100-1200 D |
|                                         |                       | Single-Id                     | R U R S | 1000 D                 | 1000 D      | 1000 D      | 1000 D      | 1000 D      |
|                                         | Hardwired Accessories | Age's                         | AR      | ✓                      | ✓           | ✓           | ✓           | ✓           |
|                                         |                       | Age's                         | AR      | ✓                      | ✓           | ✓           | ✓           | ✓           |
|                                         |                       | Screws                        | AR      | ✓                      | ✓           | ✓           | ✓           | ✓           |
| Roof Mounted Cable Troughs & Partitions | Racks                 | So id                         | AR      | ✓                      | ✓           | ✓           |             |             |
|                                         |                       | So id                         | AR      |                        |             |             | ✓           | ✓           |
|                                         |                       | ro e Ro                       | AR      | ✓                      | ✓           | ✓           | ✓           |             |
|                                         | Partitions            | So id                         | AR A    | ✓                      | ✓           | ✓           |             |             |
|                                         |                       | So id                         | AR      |                        |             |             | ✓           | ✓           |
|                                         |                       | ass ro g                      | AR A    | ✓                      | ✓           | ✓           |             |             |
|                                         |                       | ass ro g                      | AR      |                        |             |             | ✓           | ✓           |

Rack Series Comparison

Rack Series

re i

SX

ssen ia

SV

Soundproof

SP

ation

WX

os & os

OF

Seismic Protection & A

CM

so & on g red

CC

Rugged

RX

Stock Packaging & a e

SH

Accessories & Upgrades

Airflow & Cooling

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatibility Index

CX



Continued on the next page

# Comparison Index



## Accessories

### Accessories Racks

| Product Category            | Product       | Description              | SKU      | Essential Server Racks |     |     |          |     |
|-----------------------------|---------------|--------------------------|----------|------------------------|-----|-----|----------|-----|
|                             |               |                          |          | APC Easy Racks         |     |     |          |     |
|                             |               |                          |          | 600 mm W               |     |     | 800 mm W |     |
|                             |               |                          |          | 24U                    | 42U | 48U | 42U      | 48U |
| Cable Ladders & Accessories | Cable Ladders | Standard Cable Ladder    | AR-CL-A  | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Standard Cable Ladder    | AR-CL-AI | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Power Cable Ladder       | AR-CL-A  | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Power Cable Ladder       | AR-CL-AI | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             | Accessories   | Corner Brackets and Rods | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Adapter                  | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Corner Adapter           | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Sacking Kit              | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Angle Adapter            | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Adapter Installation Kit | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Adapter Bracket Kit      | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             | Accessories   | Adapter Kit              | AR       | ✓                      | ✓   | ✓   | ✓        | ✓   |
| Security Options            | Locks         | Door Lock and Key        | AR-L-A   | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Electronic Card and Key  |          | ✓                      | ✓   | ✓   | ✓        | ✓   |
|                             |               | Electronic Card and Key  |          | ✓                      | ✓   | ✓   | ✓        | ✓   |

Rack Series Comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Adapter

WX

OS & OS

OF

Seismic Protection & A

CM

ISO & Longitudinal

CC

Revised

RX

Stock Packaging & Sale

SH

Accessories & Upgrades

Airflow & Cooling

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatibility Index

CX



# Compatibility Index



## Accessories

See the Rack

| Product Category   | Product           | Description                               | SKU    | GO Rack |     |     |     |
|--------------------|-------------------|-------------------------------------------|--------|---------|-----|-----|-----|
|                    |                   |                                           |        | 18U     | 24U | 36U | 48U |
| Base Management    | ins               | xxxxod ar                                 | R      | ✓       | ✓   | ✓   | ✓   |
|                    |                   | xxxxod ar                                 | R      | ✓       | ✓   | ✓   | ✓   |
|                    |                   | xxxxod ar                                 | R      | ✓       | ✓   | ✓   | ✓   |
|                    |                   | xxxxod ar                                 | R      | ✓       | ✓   | ✓   | ✓   |
| Hardware           | age s             | age Se Se<br>pcs Scre as er               | R      | ✓       | ✓   | ✓   | ✓   |
| Cable Management   | ane               | U a e anage en<br>ane                     | R U    | ✓       | ✓   | ✓   | ✓   |
|                    |                   | Rings RA ack                              |        |         |     |     |     |
|                    | a e ra            | U a e anage en<br>ane                     | R U    | ✓       | ✓   | ✓   | ✓   |
|                    |                   | e a Rings                                 |        |         |     |     |     |
|                    |                   | U a e ra inc aed                          | R U    | ✓       | ✓   | ✓   | ✓   |
|                    |                   | U a e ra inc aed                          | R U    | ✓       | ✓   | ✓   | ✓   |
| Airflow Management | an ode            | n S iced<br>rees anding pe                | RA A S | ✓       | ✓   | ✓   | ✓   |
|                    |                   | er os a ic on ro ed<br>rees anding pe     | RA A S | ✓       | ✓   | ✓   | ✓   |
| Misc               | er<br>Accessories | ixed Se U e a<br>racke oin ixing ep<br>or | R U    | ✓       | ✓   | ✓   | ✓   |
|                    |                   | a ine s oad apaci<br>kg Uni ersa ode      |        |         |     |     |     |
|                    |                   | ixed Se U e a<br>racke oin ixing ep<br>or | R U    | ✓       | ✓   | ✓   | ✓   |
|                    |                   | a ine s oad apaci<br>kg Uni ersa ode      |        |         |     |     |     |
|                    |                   | Siding Se oin ixing<br>ep or              | RSS    | ✓       | ✓   | ✓   | ✓   |
|                    |                   | oad apaci kg                              |        |         |     |     |     |
|                    |                   | U ank ane Scre<br>pe                      | R U    | ✓       | ✓   | ✓   | ✓   |
|                    |                   | U ank ane Scre<br>pe                      | R U    | ✓       | ✓   | ✓   | ✓   |

Rack Series Comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic oo & A

CM

so & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



# Comparison Index



## Accessories

### NetShelter Soundproof Racks

|                             |                           |                                                      |          | Specialty Racks             |     |     |     |
|-----------------------------|---------------------------|------------------------------------------------------|----------|-----------------------------|-----|-----|-----|
|                             |                           |                                                      |          | NetShelter Soundproof Racks |     |     |     |
|                             |                           |                                                      |          | 700 mm W                    |     |     |     |
| Product Category            | Product                   | Description                                          | SKU      | 12U                         | 17U | 32U | 38U |
| Horizontal Cable Management | Under Rack Cable Managers | Under Rack Cable Manager                             | AR-12U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager                             | AR-17U-A | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager                             | AR-32U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager Ring                        | AR-38U-A | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager for 19" Pass Through        | AR-32U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager for 19" Rack                | AR-38U   | ✓                           | ✓   | ✓   | ✓   |
|                             | Under Rack Cable Managers | Under Rack Cable Manager                             | AR-12U-A | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager                             | AR-17U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager for 19" Strip & Facing Rack | AR-32U-A | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager Ring Standard               | AR-38U-A | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager Ring for 19" Pass Through   | AR-32U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager Ring for 19" Racks          | AR-38U-A | ✓                           | ✓   | ✓   | ✓   |
|                             | Under Rack Cable Manager  | Under Rack Cable Manager                             | AR-38U   | ✓                           | ✓   | ✓   | ✓   |
|                             | Under Rack Cable Manager  | Under Rack Cable Manager                             | AR-38U-A | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Under Rack Cable Manager for 19" Rack                | AR-38U   | ✓                           | ✓   | ✓   | ✓   |
| Airflow Management          | Rack Blank Panels         | Blank Panel Snap in Under Rack                       | AR-12U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Blank Panel Snap in Under Rack                       | AR-17U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Blank Panel Under Rack                               | AR-32U   | ✓                           | ✓   | ✓   | ✓   |
|                             |                           | Blank Panel Under Rack Under Rack Panel              | AR-38U   | ✓                           | ✓   | ✓   | ✓   |

Rack Series Comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Accessories

WX

Accessories & Upgrades

OF

Seismic Protection & A

CM

Seismic Protection & A

CC

Rugged

RX

Shock Packaging & A

SH

Accessories & Upgrades

Airflow & A

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatibility Index

CX



Continued on the next page

# Comparison Index



## Accessories

### Shelves & Mounting Accessories

| Product Category               | Product          | Description                | SKU     | Specialty Racks             |     |     |     |
|--------------------------------|------------------|----------------------------|---------|-----------------------------|-----|-----|-----|
|                                |                  |                            |         | NetShelter Soundproof Racks |     |     |     |
|                                |                  |                            |         | 700 mm W                    |     |     |     |
|                                |                  |                            |         | 12U                         | 17U | 32U | 38U |
| Shelves & Mounting Accessories | Shelves & Racks  | Fixed Depth Capacity       | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Fixed Depth Capacity       | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Fixed Depth Sided Capacity | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Siding Adhesive Capacity   | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Siding Adhesive Capacity   | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Siding Adhesive Capacity   | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Siding Adhesive Capacity   | RS      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Siding Adhesive Capacity   | RS S    | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Board Racks                | AR A    | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Roading Board Racks        | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                | Mounting Options | Universal Mounting         | AR      | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | One-Id Mount               | R U R   | ✓                           | ✓   | ✓   | ✓   |
|                                |                  | Single-Id Mount            | R U R S | ✓                           | ✓   | ✓   | ✓   |
|                                | Hardwired Access | Access                     | AR      | ✓                           | ✓   | ✓   | ✓   |

Rack Series Comparison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



# Comparison Index



## Accessories

See also on enclosures

| Product Category            | Product                     | Description         | SKU  | Wall-mount Enclosures |             |              |             |           |                       |    |
|-----------------------------|-----------------------------|---------------------|------|-----------------------|-------------|--------------|-------------|-----------|-----------------------|----|
|                             |                             |                     |      | Switch Depth          |             | Server Depth |             | UPS Depth | Vertical/ Low Profile |    |
|                             |                             |                     |      | Assembled             | Unassembled | Assembled    | Unassembled | Assembled | Assembled             |    |
|                             |                             |                     |      | 6/9/12U               | 6/9U        | 6/9/12U      | 13U         | 12U       | 12/18/24U             | 6U |
| Vertical Mgmt               | Vertical Management         | Spools              | AR   | ✓                     |             | ✓            |             |           | ✓                     |    |
|                             |                             | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     | ✓  |
| Horizontal Cable Management | Horizontal Cable Management | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     | ✓  |
|                             |                             | Vertical Management | AR   |                       |             |              | ✓           |           | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     | ✓  |
|                             |                             | Vertical Management | AR   | ✓                     | ✓           | ✓            |             | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR   | ✓                     | ✓           | ✓            |             | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR   |                       |             |              | ✓           |           | ✓                     |    |
|                             |                             | Vertical Management | AR A |                       |             |              | ✓           |           | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR   |                       |             |              | ✓           |           | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             | Horizontal Cable Management | Vertical Management | AR   | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
|                             |                             | Vertical Management | AR A | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     |    |
| Airflow Management          | Airflow Management          | Vertical Management | AR   | ✓                     |             | ✓            |             |           | ✓                     | ✓  |
|                             |                             | Vertical Management | AR   | ✓                     |             | ✓            |             |           | ✓                     | ✓  |
|                             |                             | Vertical Management | AR   | ✓                     |             | ✓            | ✓           |           | ✓                     |    |
|                             |                             | Vertical Management | AR   | ✓                     |             | ✓            | ✓           |           | ✓                     |    |
|                             | Airflow Management          | Vertical Management | AR   |                       |             |              | ✓           |           |                       |    |
|                             |                             | Vertical Management | AR   |                       |             |              |             |           |                       | ✓  |
|                             | Airflow Management          | Vertical Management | AR   |                       |             |              | ✓           |           |                       |    |
|                             |                             | Vertical Management | AR   |                       |             |              |             |           |                       |    |
|                             |                             | Vertical Management | AR   |                       |             |              |             |           |                       |    |
|                             |                             | Vertical Management | AR   |                       |             |              |             |           |                       |    |

|                        |            |
|------------------------|------------|
| Rack Series            | Comparison |
| Vertical Management    | SX         |
| Vertical Management    | SV         |
| Vertical Management    | SP         |
| Vertical Management    | WX         |
| Vertical Management    | OF         |
| Vertical Management    | CM         |
| Vertical Management    | CC         |
| Vertical Management    | RX         |
| Vertical Management    | SH         |
| Accessories & Upgrades |            |
| Airflow Management     | AC         |
| Vertical Management    | SA         |
| Rack Units             | PD         |
| Index                  |            |
| Vertical Management    | PX         |
| Compatibility Index    |            |
| CX                     |            |





o pa i i i Index



Accessories

eS e er a o n nc os res

| Product Category               | Product           | Description                | SKU | Wall-mount Enclosures |             |              |             |           |                       |    |
|--------------------------------|-------------------|----------------------------|-----|-----------------------|-------------|--------------|-------------|-----------|-----------------------|----|
|                                |                   |                            |     | Switch Depth          |             | Server Depth |             | UPS Depth | Vertical/ Low Profile |    |
|                                |                   |                            |     | Assembled             | Unassembled | Assembled    | Unassembled | Assembled | Assembled             |    |
|                                |                   |                            |     | 6/9/12U               | 6/9U        | 6/9/12U      | 13U         | 13U       | 12/18/24U             | 6U |
| Shelves & Mounting Accessories | Shelves & Racks   | Fixed Capacity             | AR  |                       |             | ✓            | ✓           |           | ✓                     |    |
|                                | Mounting Options  | Universal Mounting         | AR  | ✓                     |             | ✓            |             |           | ✓                     |    |
|                                | Hardwired Shelves | Shelves                    | AR  | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     | ✓  |
|                                |                   | Shelves                    | AR  | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     | ✓  |
|                                |                   | Shelves                    | AR  | ✓                     | ✓           | ✓            | ✓           | ✓         | ✓                     | ✓  |
|                                | Accessories       | Shelves                    | AR  |                       |             |              |             |           |                       | ✓  |
|                                |                   | Fixed Capacity             | AR  |                       |             |              | ✓           |           |                       |    |
|                                | Special           | Server Support Rack        | AR  |                       |             |              |             |           |                       | ✓  |
| Security Options               | Door Locks        | Electronic Card and Key    | S   | ✓                     |             | ✓            |             |           | ✓                     |    |
|                                |                   | Electronic Card and Key    | S   | ✓                     |             | ✓            |             |           | ✓                     |    |
|                                |                   | Single door contact sensor | S S | ✓                     |             | ✓            |             |           | ✓                     |    |

Requires a rack on appliance operation and es

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic o o & A

CM

so & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



o pa i i i Index



Accessories

e S e er pen ra e and Specia Racks

| Accessories<br>eS e er pen ra e and Specia Racks |                          |                        |      | Specialty Racks |        |          |         |     |     |
|--------------------------------------------------|--------------------------|------------------------|------|-----------------|--------|----------|---------|-----|-----|
|                                                  |                          |                        |      | Open Frame      |        | Colo     | Seismic | AV  |     |
|                                                  |                          |                        |      | 2 Post          | 4 Post | 600 mm W |         |     |     |
|                                                  |                          |                        |      | 44U             | 45U    | 42U      | 42U     | 24U | 42U |
| Product Category                                 | Product                  | Description            | SKU  |                 |        |          |         |     |     |
| Vertical Cable Management                        | inger                    | Sing e Rear            | AR   |                 |        |          | ✓       |     | ✓   |
|                                                  | os inger<br>Sing e Sided | ide                    | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide o er               | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide                    | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide                    | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide o er               | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide o er               | AR   | ✓               |        |          |         |     |     |
|                                                  |                          | o er                   | AR   |                 | ✓      |          |         |     |     |
|                                                  | os inger<br>o e Sided    | ide                    | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide o er               | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide                    | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide                    | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | ide o er               | AR   | ✓               | ✓      |          |         |     |     |
|                                                  |                          | o er                   | AR   |                 | ✓      |          |         |     |     |
|                                                  |                          | onnec or racke         | AR   | ✓               | ✓      |          |         |     |     |
|                                                  | Ring                     | Ring a eig             | AR   |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                                  |                          | Sing e Ring oo ess     | AR   |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                                  | racke                    | a e on ain en<br>U o n | AR   |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                                  | a e ree                  | en er o n              | AR   |                 |        |          |         |     | ✓   |
|                                                  | i er rgani er            | racke Spoo             | AR A |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                                  |                          | Spoo s n               | AR   |                 |        | ✓        |         | ✓   | ✓   |
|                                                  | er ica anne              | U anne<br>U o n        | AR   |                 |        |          |         |     | ✓   |
|                                                  |                          | arro ersion            | AR   |                 |        |          |         |     | ✓   |

Rack Series o parison

Rack Series

re i

SX

ssen ia

SV

So ndproo

SP

a o n

WX

os & os

OF

Seis ic oo & A

CM

s o & on g red

CC

R gged

RX

S ock ackaging & a e

SH

Accessories & Upgrades

Air o & a ing

AC

Sec ri & Access

SA

Rack Us

PD

Index

rod c Index

PX

Compatibility Index

CX



on in ed on e nex page

## Series Racks and Special Racks

| Accessories<br>Horizontal Cable Management and Specialty Racks |                       |                             |           | Specialty Racks |        |          |         |     |     |
|----------------------------------------------------------------|-----------------------|-----------------------------|-----------|-----------------|--------|----------|---------|-----|-----|
|                                                                |                       |                             |           | Open Frame      |        | Colo     | Seismic | AV  |     |
|                                                                |                       |                             |           | 2 Post          | 4 Post | 600 mm W |         |     |     |
| Product Category                                               | Product               | Description                 | SKU       | 44U             | 45U    | 42U      | 42U     | 24U | 42U |
| Horizontal Cable Management                                    | Undercable Managers   | Undercable Manager          | AR-UM-001 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-002 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-003 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-004 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-005 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-006 |                 | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                | Undercable Managers   | Undercable Manager          | AR-UM-007 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-008 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-009 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-010 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-011 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                |                       | Undercable Manager          | AR-UM-012 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                | Undercable Managers   | Undercable Manager          | AR-UM-013 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                                                | Undercable Managers   | Undercable Manager          | AR-UM-014 | ✓               | ✓      | ✓        | ✓       | ✓   | ✓   |
| Airflow Management                                             | Racking Panels        | Open Rack Panel             | AR-RP-001 |                 | AR203A | ✓        | ✓       |     |     |
|                                                                |                       | Open Rack Panel             | AR-RP-002 |                 | AR203A | ✓        | ✓       |     |     |
|                                                                |                       | Open Rack Panel             | AR-RP-003 | ✓               | ✓      | ✓        | ✓       |     |     |
|                                                                |                       | Open Rack Panel             | AR-RP-004 | ✓               | ✓      | ✓        | ✓       |     |     |
| Airflow Management                                             | Airflow Recirculation | Airflow Recirculation Panel | AR-AR-001 |                 |        | ✓        |         |     | ✓   |
|                                                                |                       | Airflow Recirculation Panel | AR-AR-002 |                 |        | ✓        |         |     |     |
|                                                                |                       | Airflow Recirculation Panel | AR-AR-003 |                 |        | ✓        |         |     |     |

- Rack Series ...

SX

SV

SP

WX

OF

CM



RX

SH

· Accessories & Upgrades ·

AC

SA

PD

- Index ...

PX

CX



Comparison Index



Accessories

Shelves & Mounting Racks

| Shelves & Mounting Accessories |                 |                        |        | Specialty Racks |        |          |         |     |     |
|--------------------------------|-----------------|------------------------|--------|-----------------|--------|----------|---------|-----|-----|
|                                |                 |                        |        | Open Frame      |        | Colo     | Seismic | AV  |     |
|                                |                 |                        |        | 2 Post          | 4 Post | 600 mm W |         |     |     |
|                                |                 |                        |        | 44U             | 45U    | 42U      | 42U     | 24U | 42U |
| Shelves & Mounting Accessories | Shelves & Racks | Fixed Depth Rack       | AR     |                 | AR203A | ✓        | ✓       |     |     |
|                                |                 | Fixed Depth Rack       | AR     | ✓               | ✓      | ✓        | ✓       |     |     |
|                                |                 | Fixed Depth Sided Rack | AR     | ✓               |        |          |         |     |     |
|                                |                 | Siding Ad Shelf Rack   | AR     |                 | ✓      | ✓        | ✓       |     |     |
|                                |                 | Siding Ad Shelf Rack   | AR     |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                |                 | Siding Ad Shelf Rack   | AR     |                 | ✓      | ✓        | ✓       |     |     |
|                                |                 | Shelf Rack             | AR A   |                 | ✓      | ✓        | ✓       |     |     |
|                                |                 | Rolling Shelf Rack     | AR     |                 | ✓      | ✓        | ✓       |     |     |
|                                | Options         | Standard Rack          | AR     |                 |        | ✓        |         | ✓   | ✓   |
|                                |                 | Standard Rack          | AR     |                 |        | ✓        |         | ✓   | ✓   |
|                                |                 | Seismic Rack           | AR A S |                 |        | ✓        |         | ✓   | ✓   |
|                                | Options         | Universal Mounting     | AR     |                 | ✓      | ✓        | ✓       | ✓   | ✓   |
|                                |                 | Spacers                | AR     |                 | ✓      |          |         |     |     |
|                                |                 | Panel Mount            | AR     |                 |        | ✓        |         | ✓   | ✓   |
|                                |                 | Shelf Mount            | AR     |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                | Standard Rack   | Shelf Rack             | AR     |                 | AR203A | ✓        |         |     |     |
|                                |                 | Shelf Rack             | AR     |                 | AR203A | ✓        | ✓       |     |     |
|                                |                 | Shelf Rack             | AR     | ✓               | AR203A | ✓        |         |     |     |
|                                | Special         | Shelf Rack             | AR     |                 |        | ✓        |         | ✓   | ✓   |

Rack Series Comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Series

WX

OS & OS

OF

Seismic Rack & A

CM

Shelf & Mounting Rack

CC

Rack

RX

Shelf Rack & A

SH

Accessories & Upgrades

Air Rack & A

AC

Security & Access

SA

Rack Units

PD

Index

Product Index

PX

Compatibility Index

CX



Continued on the next page

o pa i i i Index



Accessories

e S e er pen ra e and Specia Racks

| Accessories<br>eS e er pen ra e and Special Racks |             |                             |        | Specialty Racks |        |          |         |     |     |
|---------------------------------------------------|-------------|-----------------------------|--------|-----------------|--------|----------|---------|-----|-----|
|                                                   |             |                             |        | Open Frame      |        | Colo     | Seismic | AV  |     |
|                                                   |             |                             |        | 2 Post          | 4 Post | 600 mm W |         |     |     |
|                                                   |             |                             |        | 44U             | 45U    | 42U      | 42U     | 24U | 42U |
| Product Category                                  | Product     | Description                 | SKU    |                 |        |          |         |     |     |
| Roof Mounted Cable Troughs & Partitions           | ro g s      | So id                       | AR     |                 |        | ✓        | ✓       |     |     |
|                                                   |             | ro e Ro                     | AR     |                 |        | ✓        | ✓       |     |     |
|                                                   |             | os Rack Adap er             | AR A   |                 | ✓      |          |         |     |     |
|                                                   | ar i ions   | So id                       | AR A   |                 | ✓      | ✓        | ✓       |     |     |
|                                                   |             | ass ro g                    | AR A   |                 | ✓      | ✓        | ✓       |     |     |
| Cable Ladders & Accessories                       | adders      | a a a e adder<br>A ac en i  | AR A   |                 | ✓      | ✓        | ✓       |     |     |
|                                                   |             | a a a e adder               | AR A I |                 | ✓      | ✓        | ✓       |     |     |
|                                                   |             | o er a e adder<br>A ac en i | AR A   |                 | ✓      | ✓        | ✓       |     |     |
|                                                   |             | o er a e adder              | AR A I |                 | ✓      | ✓        | ✓       |     |     |
|                                                   | A ac en i s | a e ro g s                  | AR A   |                 | ✓      | ✓        |         |     |     |
|                                                   |             | or nc os res ro g s         | AR     |                 |        | ✓        | ✓       |     |     |
|                                                   |             | a p i                       | AR     |                 | ✓      | ✓        |         |     |     |
|                                                   |             | adder A ac i or<br>os       | AR     | ✓               |        |          |         |     |     |
|                                                   |             | orner a p i                 | AR     | ✓               | ✓      | ✓        |         | ✓   | ✓   |
|                                                   |             | Sacking i                   | AR     | ✓               | ✓      | ✓        |         | ✓   | ✓   |
|                                                   |             | Ange a p i                  | AR     | ✓               | ✓      | ✓        |         | ✓   | ✓   |
|                                                   |             | a er ina ion i              | AR     | ✓               | ✓      | ✓        |         | ✓   | ✓   |
|                                                   |             | adder anger i               | AR     |                 |        | ✓        |         |     |     |
|                                                   | a s         | a e a                       | AR     | ✓               | ✓      | ✓        | ✓       |     |     |
| Security Options                                  | oor ocks    | o o oor and e               | AR A   |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                                   |             | e o e card<br>and e         |        |                 |        | ✓        | ✓       | ✓   | ✓   |
|                                                   |             | e o e card<br>and e         |        |                 |        | ✓        | ✓       | ✓   | ✓   |

Rack Series o parison

Rack Series

re i SX

ssen ia SV

So ndproo SP

a o n WX

os & os OF

Seis ic oo & A CM

s o & on g red CC

R gged RX

S ock ackaging & a e SH

Accessories & Upgrades

Air o & a ing AC

Sec ri & Access SA

Rack Us PD

Index

rod c Index PX

Compatibility Index CX



# Comparison Index



## Accessories

### Horizontal Cable Racks

|                                |                           |                          |      | Rugged Enclosures |     |          |
|--------------------------------|---------------------------|--------------------------|------|-------------------|-----|----------|
|                                |                           |                          |      | NetShelter RX     |     |          |
| Product Category               | Product                   | Description              | SKU  | 600 mm W          |     | 800 mm W |
|                                |                           |                          |      | 24U               | 42U | 42U      |
| Horizontal Cable Management    | Under Rack Cable Managers | Single                   | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Single                   | AR A | ✓                 | ✓   | ✓        |
|                                |                           | Single                   | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Ring                     | AR A | ✓                 | ✓   | ✓        |
|                                |                           | Vertical Cable Manager   | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Single                   | AR   | ✓                 | ✓   | ✓        |
|                                | Under Rack Cable Managers | Single                   | AR A | ✓                 | ✓   | ✓        |
|                                |                           | Single                   | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Single                   | AR A | ✓                 | ✓   | ✓        |
|                                |                           | Ring Standard            | AR A | ✓                 | ✓   | ✓        |
|                                |                           | Ring Cable Manager       | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Ring Managers            | AR A | ✓                 | ✓   | ✓        |
|                                | Under Rack Cable Manager  | Single                   | AR   | ✓                 | ✓   | ✓        |
|                                | Under Rack Cable Manager  | Ring                     | AR A | ✓                 | ✓   | ✓        |
| Airflow Management             | Rack Airflow              | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
| Shelves & Mounting Accessories | Shelves & Racks           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                | Shelves & Racks           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |
|                                |                           | Under Rack Cable Manager | AR   | ✓                 | ✓   | ✓        |

Rack Series Comparison

Rack Series

Series

SX

Series

SV

Soundproof

SP

Series

WX

Series & Series

OF

Series & Series

CM

Series & Series

CC

Rugged

RX

Shock Packaging & Series

SH

Accessories & Upgrades

Airflow & Series

AC

Security & Access

SA

Rack Units

PD

Index

Product Index


PX

Compatibility Index

CX



Life Is On



earn more today

se.co

Schneider Electric  
70 Mechanic Street  
Foxborough, MA 02035  
[www.apc.com](http://www.apc.com)

© 2024 Schneider Electric. All Rights Reserved.  
Life Is On Schneider Electric is a trademark and the property of Schneider Electric SE, its subsidiaries and affiliated companies.